

CIRCULATION

A Journal of the American Heart Association

VOLUME VIII
July-December, 1953



GRUNE & STRATTON, INC.
NEW YORK



July-December, 1953

CIRCULATION

A Journal of the American Heart Association

No. 1

- A Study of the Usefulness and Limitations of Electrical Countershock, Cardiac Massage, Epinephrine and Procaine in Cardiac Resuscitation from Ventricular Fibrillation
René Wégria, Charles W. Frank, Hsueh-Hwa Wang, George Misrahy, Robert Miller and Peter Kornfeld 1
- The Syndrome of Patent Ductus Arteriosus with Pulmonary Hypertension
Herbert Hultgren, Arthur Selzer, Ann Purdy, Emile Holman and Frank Gerbode 15
- Aging Processes in the Arterial and Venous Systems of the Lower Extremities
Morton D. Pareira, Fred P. Handler and Herman T. Blumenthal 36
- Studies Made by Simulating Systole at Necropsy. II. Experiments on the Relation of Cardiac and Peripheral Factors to the Genesis of the Pulse Wave and the Ballistocardiogram. *Isaac Starr, T. G. Schnabel, Jr., and R. L. Mayock* 44
- Observations on the Hemodynamic Properties of a Thiophanium Derivative, Ro 2-2222 (Arfonad), in Human Subjects
N. S. Assali, Roy A. Douglass, Jr., and Roy Suyemoto 62
- Dye Dilution Curves in Cyanotic Congenital Heart Disease
H. J. Swan, J. Zapata-Diaz and Earl H. Wood 70
- Measurement of Vasoconstrictor Tone in the Extremities in Hypertension
Henry J. Kowalski, Sibley W. Hoobler, S. Donald Malton and Richard H. Lyons 82
- The Effect of Priscoline on the Clearance of Radiosodium from Muscle and Skin of Man in Normal and Diseased Limbs
Jack Freund, Lawrence H. Wisham and Rosalyn S. Yalow 89
- The Effect of the Frequency Response of Electrocardiographs on the Form of Electrocardiograms and Vectorcardiograms. *A. J. Kerwin* 98
- Clinical Progress. The Heart in Anemia. *William B. Porter and G. Watson James, III* 111
- Clinical Conferences. The Arterial Spider and Similar Lesions of the Skin and Mucous Membrane. *William B. Bean* 117
- Abstracts. 130
- Books Received. 151
- American Heart Association. 153

No. 2

- Rheumatic "Activity" as Judged by the Presence of Aschoff Bodies in Auricular Appendages of Patients with Mitral Stenosis. I. Anatomic Aspects
J. P. Decker, C. Van Z. Hawn and S. L. Robbins 161
- Hypertension and Coronary Occlusion. *Arthur M. Master* 170
- Pulmonary Function in Rheumatic Heart Disease and Its Relation to Exertional Dyspnea in Ambulatory Patients
John R. West, Harry A. Bliss, John A. Wood and Dickinson W. Richards, Jr. 178

A Critical Evaluation of the Hypotensive Action of Hydrallazine, Hexamethonium, Tetraethylammonium and Dibenzylamine Salts in Human and Experimental Hypertension.....	<i>Alvin P. Shapiro and Arthur Grollman</i>	188
The Hemodynamic Effects of Hypotensive Drugs in Man. IV. 1-Hydrazinophthalazine <i>Edward D. Freis, John C. Rose, Thomas F. Higgins, Frank A. Finnerty, Jr., Robert T. Kelley and Edward A. Partenope</i>		199
Further Observations on the Effects of Autonomic Blocking Agents in Patients with Hypertension. I. General Systemic Effects of Hexamethonium, Pentamethonium, and Hydrazinophthalazine.....	<i>David Grob and Herbert G. Langford</i>	205
Effect of Dibenzylamine on Skin Temperature, Peripheral Blood Flow, and Vasomotor Responses in Normal Patients and Patients with Increased Vasoconstrictor Tone <i>Marvin Moser, Dale Watkins, Neal Morris, Andrew G. Prandoni and Thomas W. Mattingly</i>		224
A Comparison of Direct and Indirect Blood-Pressure Determinations <i>L. N. Roberts, J. R. Smiley and G. W. Manning</i>		232
Parasyctole.....	<i>Alfred Pick</i>	243
The Effect of a Threshold Electrical Stimulus upon the Repolarization Process of the Left Ventricle of the Intact Dog Heart <i>L. H. Nahum, H. Levine, H. Geller and R. Sikand</i>		253
Atabrine in Ventricular Tachycardia... ..	<i>Antonio M. Samia and Mariano M. Alimurung</i>	257
The Spatial Orientation of the Plane Including the Mean QRS and T Vector of the Normal Electrocardiogram.....	<i>Noboru Kimura</i>	261
The Circulatory Response to the Valsalva Maneuver of Patients with Mitral Stenosis with and without Autonomic Blockade....	<i>David G. Greene and Ivan L. Bunnell</i>	264
The Kinetocardiogram. I. Method of Recording Precordial Movements <i>E. E. Eddleman, Jr., Kathryn Willis, T. J. Reeves and T. R. Harrison</i>		269
A New Index for Quantitative Ballistocardiography: The Velocity of Body Displacement.....	<i>Vincenzo Masini and Paolo Rossi</i>	276
Long-Range Observations of Sodium Exchange in Patients with Congestive Heart Failure.....	<i>John A. Lusk, III, and S. Donald Palmer</i>	282
Clinical Progress. Diagnosis and Prevention of Bacterial Endocarditis <i>Arthur L. Bloomfield</i>		290
Abstracts.....		297
American Heart Association.....		316

No. 3

Mitral Commissurotomy in the Older Aged Patient. An Analysis of Twenty Patients Over the Age of Fifty <i>O. Henry Janton, Robert P. Glover, and Thomas J. E. O'Neill</i>		321
Tetralogy of Fallot with Unilateral Pulmonary Atresia. A Clinically Diagnosable and Surgically Significant Variant <i>Alexander S. Nadas, Harold D. Rosenbaum, Martin H. Wittenborg, and Abraham M. Rudolph</i>		328
Rheumatic "Activity" as Judged by the Presence of Aschoff Bodies in Auricular Appendages of Patients with Mitral Stenosis. II. Clinical Aspects <i>William F. McNeely, Laurence B. Ellis, and Dwight E. Harken</i>		337
Hemodynamic Effects of Valvulotomy in Pulmonic Stenosis <i>Paul R. Lurie and Harris B. Shumacker, Jr.</i>		345
Further Observations on the Effects of Autonomic Blocking Agents in Patients with		

Hypertension. II. Hemodynamic, Ballistocardiographic and Electrocardiographic Effects of Hexamethonium and Pentamethonium <i>David Grob, William R. Scarborough, Albert A. Kattus, Jr., and Herbert G. Langford</i>	352
The Kinetocardiogram. II. The Normal Configuration and Amplitude <i>E. E. Eddleman, Jr., Kathryn Willis, Lynn Christianson, J. R. Pierce, and R. P. Walker</i>	370
Studies of Quantitative Ballistocardiography. The Velocity of Body Displacement in Patients with Heart Disease..... <i>Vincenzo Masini and Paolo Rossi</i>	381
The Electrocardiogram of a Beluga Whale <i>Robert L. King, James L. Jenks, Jr., and Paul D. White</i>	387
Embolie Occlusion of Patent Foramen Ovale. A Syndrome Occurring in Pulmonary Embolism..... <i>G. B. Elliott and R. E. Beamish</i>	394
Clinical Conferences. Electrocardiograms of Deceptive Form in Ventricular Hypertrophy..... <i>Charles E. Kossmann</i>	403
Clinical Progress. The Patient with Cardiovascular Disease and Rehabilitation: The Third Phase of Medical Care..... <i>Joseph G. Benton and Howard A. Rusk</i>	417
Program and Proceedings of the Seventh Annual Meeting of the American Society for the Study of Arteriosclerosis.....	427
Abstracts.....	457
Book Reviews.....	477
American Heart Association.....	478

No. 4

Reactivation of Rheumatic Fever Following Mitral Commissurotomy <i>Louis A. Soloff, Jacob Zatuchni, O. Henry Janton, Thomas J. E. O'Neill, and Robert P. Glover</i>	481
Antibiotic Therapy of Bacterial Endocarditis. IV. Successful Short-Term (Two Weeks) Combined Penicillin-Dihydrostreptomycin Therapy in Subacute Bacterial Endocarditis Caused by Penicillin-Sensitive Streptococci <i>Joseph E. Geraci and William J. Martin</i>	494
The Relation of Age to Certain Electrocardiographic Responses of Normal Adults to a Standardized Exercise..... <i>Harold M. Silver and Milton Landowne</i>	510
Age Changes in Heart Rate and Blood Pressure Responses to Tilting and Standardized Exercise..... <i>Arthur H. Norris, Nathan W. Shock, and Marvin J. Yiengst</i>	521
The Lewis A. Connor Memorial Lecture. The Physiology of the Cardiac Output <i>W. F. Hamilton</i>	527
Failure to Reduce the Size of Experimentally Produced Myocardial Infarcts by Cortisone Treatment..... <i>D. F. Opdyke, A. Lambert, H. C. Stoerk, M. E. Zanetti and S. Kuna</i>	544
Congenital Aneurysm of the Right Sinus of Valsalva, Diagnosed by Aortography <i>Walther Falholt and Gregers Thomsen</i>	549
Electrocardiographic Leads. I. Introduction.. <i>Richard McFee and Franklin D. Johnston</i>	554
The Kinetocardiogram. III. The Distribution of Forces over the Anterior Chest <i>E. E. Eddleman, Jr., and Kathryn Willis</i>	569
A Method of Securing the Direct Body Ballistocardiogram by Means of a Microscope Giving a Record Readily Calibrated..... <i>E. W. Bixby and C. B. Henderson</i>	578
Torsion Ballistocardiography: With Special Reference to Patterns in Surgically Amenable Cardiovascular Diseases..... <i>Kurt R. Reissmann and E. Grey Dimond</i>	585
The Significance of the Intermediate Korotkoff Sounds..... <i>Simon Rodbard</i>	600

Clinical Progress. Vectorcardiography . . . <i>G. E. Burch, J. A. Abildskov and J. A. Cronvich</i>	605
Abstracts	614
Book Reviews	634
American Heart Association	639

No. 5

The George E. Brown Memorial Lecture. Some Chemical Factors in the Pathogenesis of Atherosclerosis <i>David P. Barr</i>	641
Facts and Fallacies Regarding the Blood Pressure of Different Regional and Racial Groups <i>Robert P. Bays and Nevin S. Scrimshaw</i>	655
Platelet Thrombosis Syndrome <i>Philip S. Vassar and David M. Spain</i>	664
Studies on the Control of Hypertension by Hyphex. I. Effects on Blood Pressure <i>Henry A. Schroeder, John D. Morrow and H. Mitchell Perry, Jr.</i>	672
Demonstration of Differential Effects on Pulmonary and Systemic Arterial Pressure by Variation in Oxygen Content of Inspired Air in Patients with Patent Ductus Arteriosus and Pulmonary Hypertension <i>Howard B. Burchell, H. J. C. Swan and Earl H. Wood</i>	681
Mechanical and Myocardial Factors in Chronic Constrictive Pericarditis <i>Réjane M. Harvey, M. Irené Ferrer, Richard T. Cathcart, Dickinson W. Richards and André Cournand</i>	695
Further Considerations on the Indications for the Limitations of Direct Surgery in Arteriosclerosis <i>William S. Dye, John H. Olwin and Ormand C. Julian</i>	708
Clinical Appraisal of a New Autorenergic Blocking Agent: Effect of Regitine on Digital Blood Flow in Normal Subjects and Patients with Peripheral Arterial Diseases <i>Charles W. Clarke, Jr., David Randall Hays, Jr., and Theodore B. Van Itallie</i>	715
Spontaneous and Induced Variations in Serum Lipoproteins <i>H. L. Chandler, E. Y. Lawry, K. G. Potee and G. V. Mann</i>	723
Studies of Human Peripheral Blood Flow: The Effect of Injection Volume on the Intramuscular Radiosodium Clearance Rate <i>George F. Warner, Ernest Dobson, Nello Pace, Muriel E. Johnston and Caroline R. Finney</i>	732
Magnetic Tape Recording Electrocardiograph <i>William L. Proudfit and Joseph F. Dobosy</i>	735
A Ballistocardiographic Study of Healthy Young Adult Males <i>William B. Abrams and Herbert D. Edger</i>	738
Thiamine Deficiency in Organic Heart Disease <i>Michael G. Wohl, Charles R. Shuman, Richard Turner and John J. Fittipaldi</i>	744
Pattern of Failure of the Homografted Canine Heart <i>Sigmund A. Wesolowski and John F. Fennessey</i>	750
Clinical Progress. Treatment of Cardiac Arrhythmias <i>David Scherf</i>	756
Clinical Conferences. Congestive Heart Failure Induced by Primary Systemic Amyloidosis: A Diagnostic Problem <i>Raymond D. Pruitt, Guy W. Daugherty and Jesse E. Edwards</i>	769
Abstracts	779
American Heart Association	799

No. 6

The Electrocardiographic Pattern of Hypopotassemia with and without Hypocalcemia <i>Borys Surawicz and Eugene Lepeschkin</i>	801
---	-----

Studies on the Control of Hypertension by Hyphex. II. Toxic Reactions and Side Effects.....	<i>John D. Morrow, Henry A. Schroeder and H. Mitchell Perry, Jr.</i>	829
Newer Drugs in the Treatment of Hypertension. I. Use of Hexamethonium Salts	<i>Homer A. Sieber, Keith S. Grimson and Edward S. Orgain</i>	840
Problems in the Diagnosis and Surgical Treatment of Pulmonic Stenosis with Intact Ventricular Septum.....	<i>John W. Kirklin, Daniel C. Connolly, F. Henry Ellis, Jr., Howard B. Burchell, Jesse E. Edwards and Earl H. Wood</i>	849
Orthostatic Factors in Pulsus Alternans	<i>Ben Friedman, William M. Daily and Roy S. Sheffield</i>	864
Effects of Papaverine upon Ectopic Ventricular Tachycardia Produced by Myocardial Infarction. . .	<i>A. Sidney Harris, Antonio Estandia, Abdo Bisteni and Herbert T. Smith</i>	874
Evaluation of Routine Serial Fluoroscopic Examinations of the Heart in the Postero-anterior and Oblique Views at Specific Degrees of Rotation. With Special Reference to the Angle of Clearance of the Left Ventricle	<i>May G. Wilson, Nathan Epstein, Helen N. Helper and Katharine Hain</i>	879
Heart Force Effects of Sympathomimetic Amines as a Basis for Their Use in Shock Accompanying Myocardial Infarction	<i>Peter C. Gazes, Leon I. Goldberg and Thomas D. Darby</i>	883
Respiratory and Circulatory Studies of Patients with Mitral Stenosis	<i>Pier C. Curti, Goodman Cohen, Benjamin Castleman, J. Gordon Scannell, Allan L. Friedlich and Gordon S. Myers</i>	893
Further Studies in High Fidelity Electrocardiography. Myocardial Infarction	<i>Paul H. Langner, Jr.</i>	905
Some Requirements in Equipment and Technics for Vectorcardiography	<i>James A. Cronvich, George E. Burch and J. A. Abildskov</i>	914
Clinical Progress. The Normal Electrocardiogram.....	<i>Charles E. Kossmann</i>	920
Abstracts.....		937
Book Reviews.....		957
American Heart Association.....		958

INDEX OF AUTHORS

- Abildskov, J. A., 605, 914
 Abrams, W. B., 738
 Alimurung, M. M., 257
 Assali, N. S., 62

 Barr, D. P., 641
 Bays, R. P., 655
 Beamish, R. E., 394
 Bean, W. B., 117
 Benton, J. G., 417
 Bisteni, A., 874
 Bixby, E. W., 578
 Bliss, H. A., 178
 Bloomfield, A. L., 290
 Blumenthal, H. T., 36
 Bunnell, I. L., 264
 Burch, G. E., 605, 914
 Burchell, H. B., 681, 849

 Castleman, B., 893
 Cathcart, R. T., 695
 Chandler, H. L., 723
 Christianson, L., 370
 Clarke, C. W., Jr., 715
 Cohen, G., 893
 Connolly, D. C., 849
 Courmand, A., 695
 Cronvich, J. A., 605, 914
 Curti, P. C., 893

 Daily, W. M., 864
 Darby, T. D., 883
 Daugherty, G. W., 769
 Decker, J. P., 161
 Dimond, E. G., 585
 Dobosy, J. F., 735
 Dobson, E., 732
 Douglass, R. A., Jr., 62
 Dye, W. S., 708

 Eddleman, E. E., Jr., 269, 370, 569
 Edgar, H. D., 738
 Edwards, J. E., 769, 849
 Elliot, G. B., 394
 Ellis, F. H., Jr., 849
 Ellis, L. B., 337
 Epstein, N., 879
 Estandia, A., 874

 Falholt, W., 549
 Fennessey, J. F., 750
 Ferrer, M. I., 695
 Finnerty, F. A., Jr., 199
 Finney, C. R., 732
 Fittipoldi, J. J., 744
 Frank, C. W., 1
 Freis, E. D., 199
 Freund, J., 89
 Friedlich, A. L., 893
 Friedman, B., 864

 Gazes, P. C., 883
 Geller, H., 253
 Geraci, J. E., 494
 Gerbode, F., 15

 Glover, R. P., 321, 481
 Goldberg, L. I., 883
 Greene, D. G., 264
 Grimson, K. S., 840
 Grob, D., 205, 352
 Grollman, A., 188

 Hain, K., 879
 Hamilton, W. F., 527
 Handler, F. P., 36
 Harken, D. E., 337
 Harris, A. S., 874
 Harrison, T. R., 269
 Harvey, R. M., 695
 Hawn, C. V. Z., 161
 Hays, D. R., Jr., 715
 Helper, H. N., 879
 Henderson, C. B., 578
 Higgins, T. F., 199
 Holman, E., 15
 Hoobler, S. W., 82
 Hultgren, H., 15

 James, G. W., III, 111
 Janton, O. H., 321, 481
 Jenks, J. L., Jr., 387
 Johnston, F. D., 554
 Johnston, M. E., 732
 Julian, O. C., 708

 Kattus, A. A., Jr., 352
 Kelley, R. T., 199
 Kerwin, A. J., 98
 Kimura, N., 261
 King, R. L., 387
 Kirklin, J. W., 849
 Kornfeld, P., 1
 Kossmann, C. E., 403, 920
 Kowalski, H. J., 82
 Kuna, S., 544

 Lambert, A., 544
 Landowne, M., 510
 Langford, H. G., 205, 352
 Langner, P. H., Jr., 905
 Lawry, E. Y., 723
 Lepeschkin, E., 801
 Levine, H., 253
 Lurie, P. R., 345
 Lusk, J. A., III, 282
 Lyons, R. H., 82

 Malton, S. D., 82
 Mann, G. V., 723
 Manning, G. W., 232
 Martin, W. J., 494
 Masini, V., 276, 381
 Master, A. M., 170
 Mattingly, T. W., 224
 Mayock, R. L., 44
 McFee, R., 554
 McNeely, W. F., 337
 Miller, R., 1
 Misrahy, G., 1
 Morris, N., 224

 Morrow, J. D., 672, 829
 Moser, M., 224
 Myers, G. S., 893

 Nadas, A. S., 328
 Nahum, L. H., 253
 Norris, A. H., 521

 Olwin, J. H., 708
 O'Neill, T. J. E., 321, 481
 Opdyke, D. F., 544
 Orgain, E. S., 840

 Pace, N., 732
 Palmer, S. D., 282
 Pareira, M. D., 36
 Parteno, E. A., 199
 Perry, H. M., Jr., 672, 829
 Pick, A., 243
 Pierce, J. R., 370
 Porter, W. B., 111
 Potee, K. G., 723
 Prandoni, A. G., 224
 Proudfit, W. L., 735
 Pruitt, R. D., 769
 Purdy, A., 15

 Reeves, T. J., 269
 Reissmann, K. R., 585
 Richards, D. W., Jr., 178, 695
 Robbins, S. L., 161
 Roberts, L. N., 232
 Rodbard, S., 600
 Rose, J. C., 199
 Rosenbaum, H. D., 328
 Rossi, P., 276, 381
 Rudolph, A. M., 328
 Rusk, H. A., 417

 Samia, A. M., 257
 Scannell, J. G., 893
 Scarborough, W. R., 352
 Schnabel, T. G., Jr., 44
 Scherf, D., 756
 Schroeder, H. A., 672, 829
 Scrimshaw, N. S., 655
 Selzer, A., 15
 Shapiro, A. P., 188
 Sheffield, R. S., 864
 Shock, N. W., 521
 Shumacker, H. B., Jr., 345
 Shuman, C. R., 744
 Sieber, H. A., 840
 Sikand, R., 253
 Silver, H. M., 510
 Smiley, J. R., 232
 Smith, H. T., 874
 Soloff, L. A., 481
 Spain, D. M., 664
 Starr, I., 44
 Stoerk, H. C., 544
 Surawicz, B., 801
 Suyemoto, R., 62
 Swan, H. J., 70, 681

INDEX OF AUTHORS

ix

Thomsen, G., 549
Turner, R., 744

Van Itallie, T. B., 715
Vassar, P. S., 664

Walker, R. P., 370
Wang, H.-H., 1
Warner, G. F., 732

Watkins, D., 224
Wégria, R., 1
Wesolowski, S. A., 750
West, J. R., 178
White, P. D., 387
Willis, K., 269, 370, 569
Wilson, M. G., 879
Wisham, L. H., 89
Wittenborg, M. H., 328
Wohl, M. G., 744

Wood, E. H., 70, 681, 849
Wood, J. A., 178

Yalow, R. S., 89
Yiengst, M. J., 521

Zanetti, M. E., 544
Zapata-Diaz, J., 70
Zatuchni, J., 481

INDEX OF SUBJECTS

(Page numbers in italics refer to abstracts)

- Abdomen**, binding of, and pulsus alternans, 867
- Accelerin**, 780
- Acetylcholine**, for arrhythmia, 759-60
- Acid-base balance**, in polycythemia vera, 626
- Acidosis**
cerebral vascular resistance in, 626
diabetic, potassium in, 784
respiratory, due to pulmonary infection, 954
- ACTH**. *See* Corticotropin
- Adams-Stokes syndrome**, 766
- Adenarhythmia**, due to paroxysmal ventricular fibrillation, 139
- Adrenal gland**
congenital hyperplasia of, 131
in platelet thrombosis syndrome, 669
and sodium chloride in hypertension, 623
and sodium distribution, 287
- Adrenalectomy**, subtotal, for hypertension, 951
- Adrenaline**, and blood flow in muscle, 952
See also Epinephrine
- Adrenocorticotrophic hormone**. *See* Corticotropin
- Adrenogenital syndrome**, cortisone for hyperplasia in, 131
- Age (of patient)**
and Aschoff body in mitral stenosis, 339, 342
and bacterial endocarditis, 293
and blood pressure response to exercise, 521-526
and cholesterol, 441
and electrocardiographic response to exercise, 510-519
and fat loading, 450
and heart rate response to exercise, 521-526
and hypertension limits, 171, 173
and plasma lipid, 453, 645, 649-650
and P-R interval, 922
and QRS interval, 922
and QRS vector, 931
and serum beta lipoproteins, 441
and serum-cholesterol levels, 148
and size of electrocardiographic deflections, 926-929
and tolerance to digitoxin, 307
- Aging**, of blood vessels in lower extremity, 36-43
- Air embolism**, treatment of, 313
- Albumin**
iodinated, in measurement of plasma volume, 947
simultaneous distribution of, with T-1824 dye, 950
- Alcohol**
cerebral circulation after, 470
octyl, for pulmonary edema, 629
and oxygen vapor for pulmonary edema, 471
- Alginic acid**, as cation exchanger, 468
- Alkaloid**
hydrogenated, of ergot, 143
veratrum, 945
- Alkalosis**
cerebral vascular resistance in, 626
hypochloremic, due to mercurial diuretics in congestive heart failure, 133
- Alkylamine**, for essential hypertension, 788
- Allylamine**, arterial lesion due to, demonstrated by polysaccharide staining, 437
- Alternans of the heart**, ventricular, orthostatic factors in, 864-873
- Alveolar-arterial oxygen**, pressure gradient of, in mitral stenosis, 467
- Ambulation**
and exertional dyspnea in relation to pulmonary function in rheumatic heart disease, 178-186
and heart in anemia, 112
- American Heart Association, Inc.**
Annual Meeting, 159
assistant medical director appointed, 959
Blakeslee Award, 158, 479
Board of Directors, 157
Cardiovascular Awards at AMA Convention, 318
Cardiology Congress, 159
Career Investigator, 316-317
Chair of Cardiovascular Research, 799
Committee on Auscultatory Phenomena (Tape Recordings), 478
Council on Community Service and Education, 479
Council for High Blood Pressure Research, meeting of, 158
Distinguished Service Silver Medallion, 158
elections, 156-158
electrocardiographic interpretation course, 160
films on cardiovascular disease, 159
Gold Heart Awards, 158
grants-in-aid, 153-156, 799
heart models, 317, 639
Institute on Rheumatic Fever, 160
- Life Insurance Fund Research Fellowships and Grants**, 639
meetings, 960
New England Cardiovascular Society, 800
New Hampshire Heart Association, 800
"Nomenclature and Criteria," 159, 318-319
president of, 156-157
publications, 479, 640, 799
regional conferences, 319-320
Registry of Cardiovascular Pathology, 480
rheumatic fever pamphlet, 799
Scientific Council Board of, 157-158
Scientific Sessions (for 1954), 639
Second International Congress of Cardiology, 478
Second South American Congress of Angiology, 959
Second World Congress, 958
Section on Clinical Cardiology, 319, 639, 799, 959
Tennessee Heart Association, 479
training course for cardiovascular investigators, 160
Twenty-Seventh Scientific Sessions, 958
vice-presidents of, 157
Vocational Counseling Study, 799
Youngstown research gift, 960
- American Society for the Study of Arteriosclerosis**
proceedings, 432-456
program 427-431
- Amine**
pressor, for shock in myocardial infarction, 134
sympathomimetic, for shock in myocardial infarction, 883-892
- Aminophylline**
for hypertensive headache, 303
for Stokes-Adams syndrome, 766
- Amyloidosis**
cardiac, 778
congestive heart failure due to, 769-778
pressure pulse in right side of heart in, 942
- Anemia**
and bacterial endocarditis, 292, 293
heart in, 111-116
- Anesthesia**
cyclopropane
and blood pressure, 943
Regitane for arrhythmia due to, 145

- extrastystole due to, 761
spinal, and Arfonad action, 67-68
- Aneurysm**
aortic, 141, 793
 abdominal, 795
 spontaneous, 944
arteriovenous, in lung, 793
dissecting aortic, 141, 793
intracranial, 790
 rupture of, with pheochromocytoma, 303
of middle cerebral artery, 952
of sinus of Valsalva, diagnosed by aortography, 549-553
spontaneous of abdominal aorta, 944
- Angina**
of effort, in anemia, 114, 115
hypercyanotic, 407
pectoris
 after hydrazinophthalazine, 831
 Hydregin for, 308
 Paveril for, 134
 Peritrate for, 472
 prognosis of, 300
- Angiocardiography**
in diagnosis of absence of inferior vena cava, 458
electrocardiogram during, 784
in sacular outpouching of right ventricle, 789
- Angioma, cherry**, 127-128
- Angle of clearance**, of left ventricle, 880-881
- Anoxemic test**, for coronary insufficiency, 135
- Anoxia**
due to pulmonary infection, 954
resistance of hearts with coronary occlusion to, 783
and thiamine metabolism, 748
- Antabus**, cerebral circulation after, 470
- Antibiotic**
dietary, in cholesterol regulation, 453
for diphtheroid subacute bacterial endocarditis, 130
for heart infection, 463
for subacute bacterial endocarditis, 130, 494-508, 779
prevention, 294
See also Penicillin
- Anticoagulant**
for myocardial infarction, 617
emergency appendectomy during, 131
in surgery for arteriosclerosis, 713
treatment with, based on coagulation time, 780
- Antidiuresis**
due to epinephrine, 143
due to morphine, 948
due to norepinephrine, 143
due to serum, 949
- Antifibrinolytic**, in platelet, 780
- Antiheparin**, and lipemia, 454
- Antihyaluronidase**, 148
- Antilippanogen**, and cholesterol, 447
- Antistreptolysin**, 148
and Aschoff body in mitral stenosis, 341
- Aorta**
abdominal
 aneurysm of, 795
 atherosclerotic stenosis of, 456
 spontaneous rupture of, 944
aneurysm of, 456, 795
 dissecting, 141, 793
arch of circulation in, in patent ductus arteriosus with pulmonary hypertension, 681-693
coarctation of, 459
 atypical, 298
 ballistocardiogram in, 150, 595-596
 cholesterol after induction of, 442
 in infancy, 615
 internal mammary arteries in, 616
 roentgenologic sign of, 147
 thoracic aortography in, 458
 in torsion ballistocardiography, 595-596
descending, roentgenographic localization of, 475
direct puncture of, in thoracic aortography, 476
lesion of, demonstrated by polysaccharide staining, 437
phospholipid in, in atheromatosis, 433
shunting of blood from pulmonary artery to, with patent ductus arteriosus, 782
thoracic, fatal contrast injection into, 476
- Aortic valve**
regurgitation of, in anemia, 115
rupture of, 313
stenosis of surgery for, 951
- Aortography**
abdominal, 147, 476
in diagnosis of congenital aneurysm of sinus of Valsalva, 549-555
thoracic
 in coarctation of aorta, 458
 after direct puncture of aorta from jugulum, 476
- Aortotomy**, direct, for removal of embolus, 310
- Apomorphine**
sites of action of, 470
for ventricular tachycardia, 762
- Appendage**, auricular
and Aschoff body in mitral stenosis, 161-168, 337-343
commissurotomy for, 482, 484, 486, 487, 491-492
angled needle for suturing of, in commissurotomy, 951
rheumatic carditis in, 147
rheumatic lesions in, 474
thrombus in, 165-166
in mitral stenosis, 322, 324
- Appendectomy**, emergency, during anticoagulant therapy for myocardial infarction, 131
- Appetite**, and protein, 786
- Apresoline**, 304
for hypertension, 622
See also Hydrazinophthalazine
- Arab**, blood pressure in, 656
- Arfonad**, hemodynamic properties of, 62-68
- Arrest**, cardiac, 766, 948-949
- Arrhythmia**
during cardiac catheterization, 468
due to central nervous system stimulants, 140
digitalis for, 757-758
epinephrine-induced, effect of cocaine on, 143
esophageal, 738
Hydregin for, 308
after mitral commissurotomy, 486, 487
organic sino-auricular depression, 625
procaine amide for, 141, 142
quinidine for, 757, 758-759
supraventricular, oral procaine amide for, 141-142
treatment of, 756-767
See also Extrasystole; Fibrillation; Flutter; Heart block; Pulsus alternans; Tachycardia
- Arterenol**
cardiac effects of, 143
and electric potentials of myocardium, 945
See also Norepinephrine
- Arteriography**, in surgery for arteriosclerosis, 709-710
- Arteriole**, of splanchnic organs, photoplethysmographic study of pulsations of, 728
- Arteriophonogram**, of Korotkoff sounds, 601
- Arteriosclerosis**
coronary, grading of, 443
hyperbeta-globulinemia in, 450
hypoalbuminemia in, 450
lipoprotein in, with diabetes mellitus, 440
neurotrophic plantar ulcer in, 454
obliterans
 clearance of radiosodium in, 93-95
 vasodilators in, 307
peripheral, lumbar sympathectomy for, 552
prevalence of, in working population, 438
surgery for, 310, 708-713
and systole simulated at necropsy, 56, 60
- Arteritis**
obliterating pulmonary murmur in, 145
due to penicillin sensitivity, 306

- Arteritis** (*Cont'd.*)
 pulmonary, in patent ductus arteriosus with pulmonary hypertension, 30-31
- Artery**
 bronchial. *See* Bronchial artery
 carotid, pressure in, 941
 cerebral, aneurysm of, 952
 coronary. *See* Coronary artery
 cranial, pulse wave in, 468
 dorsalis pedis, aging changes in, 38, 41
 excised, filtration properties of, 473
 femoral. *See* Femoral artery
 flutter of, in production of Korotkoff sounds, 603
 hypoxic, and hyperemia, 952
 internal mammary, in coarctation of aorta, 616
 isolated, low temperature constriction of, 631
 lesion of, demonstrated by polysaccharide staining, 437
 in lower extremity, aging processes in, 36-43
 of newborn, 37
 peripheral, occlusion of, and ischemic heart disease, 952
 popliteal, aging changes in, 37, 41
 pulmonary. *See* Pulmonary artery
 of rat, atheromatous response in, 794
 spider, of skin, 117-125, 128-129
 tibial, aging changes in, 38, 41
 tissue of, diffusion coefficients of some materials in, 451
- Arthralgia**, after hydrazinophthalazine, 832-835, 837
- Arthritis**
 after hydrazinophthalazine, 832
 juvenile rheumatoid
 corticotropin in, 950
 cortisone in, 950
 after mitral commissurotomy, 486-489
- Aschoff bodies**, in auricular appendages, in mitral stenosis, 161-168, 337-343, 482, 484, 486, 487, 491-492
- Assam**, blood pressure in, 656
- Atabrine**
 for arrhythmia, 759
 for ventricular tachycardia, 257-260
- Ataxia**, Friedreich's, cardiac manifestations of, 797
- Atelectasis**, pulmonary, experimental reflex, 467
- Atherogenesis**
 cholesterol-induced, effect of estrogen on, 436
 and corticotropin, 455
 evaluation of blood potential for, 438
 and vitamin B₁₂, 455
 and vitamin E, 455
- Atheroma**, pathogenesis of, 307
- Atheromatosis**, 41
 aortic phospholipid in, 433
- Atherosclerosis**
 chemical factors in pathogenesis of, 641-653
 coronary
 heparin for, 457
 heredity of, 135
 and diet, 794
 enteric factors in, 453
 heparin in, 444, 457, 615
 juvenile, 442
 of lower abdominal aorta, 456
 in lower extremity, 42
 obliterative, heparin for, 615
 and ovariectomy, 452
 phospholipid-total cholesterol ratio as index of, 794
 and plasma lipid
 after heparin, 444
 in old age, 453
 in rat, 953
 serum lipoproteins in, 432, 434
 squalene in production of, 432
- Atresia**, pulmonary, with tetralogy of Fallot, 328-335
- Atrial well**, in surgical closure of interauricular septal defect, 309
- Atrium**
 contraction of, in torsion ballistocardiography, 591-5. 2
 left
 myxoma of, 307
 polypoid tumor of, 141
 pressure curves of, 463
 right
 drainage of pulmonary veins into, 626
 pressure in, before and after pulmonary valvulotomy, 347
 septal defect of
 cardiac catheterization in, 781
 with congenital pulmonary stenosis, 781
 with pulmonary hypertension dye dilution curve in, 72
 and Starling's law of the heart, 141
 venoarterial shunt in, and pulmonary hypertension, 781
See also Auricle
- Atropine**
 and cardiovascular action of digitalis, 144
 for heart block, 767
 tachycardia due to, 472
- Aureomycin**
 dietary, in cholesterol regulation, 453
 for prevention of subacute bacterial endocarditis, 294
- Auricle**
 appendage of. *See* Appendage
 electrocardiogram of, 621
 fibrillation of, 764-765
 and Aschoff body in mitral stenosis, 339-341, 342
 and auricular thrombosis, 166
 digitalis for, 763
 in mitral stenosis, 791
 in mitral surgery, 791
 in nicotine poisoning, 466
 phonocardiography in, 630
- quinidine for, 623, 757, 763
 phonocardiography in, 630
 treatment for, 764-766
- flutter of**
 quinidine for, 757
 treatment for, 763-764
- left**
 Aschoff bodies in appendages of, in mitral stenosis, 161-168
 biopsy of, in mitral stenosis, 950
 movement of, in mitral valvular disease, 136
 pressure curves of, 466
 rheumatic carditis in appendage of, 147
 monophasic action potential of, after epinephrine, 628
- right**
 pressure in, after hydrazinophthalazine for hypertension, 200
 pressure in, after pentamethonium for hypertension, 354
 septal defect of, surgical closure of, 938
 thrombosis of, in mitral stenosis, 791
See also Atrium
- Auricular appendage**. *See* Appendage
- Auriculoventricular node**, and parasystole, 243-250
- Auscultation**
 of Corrigan pulse, 630
 for determination of cardiac hypertrophy, 309
 of water-hammer pulse, 630
- Australian aborigines**, hypertension in, 659
- Autonomic nervous system**, blocking of
 and circulation after Valsalva maneuver in mitral stenosis, 266-267
 in hypertension, 205-222, 352-368
- A-V interval**, in child, 461
- Bacillus**, diphtheroid, subacute bacterial endocarditis due to, 130
- Bacitracin**, for diphtheroid subacute bacterial endocarditis, 130
- Ballistocardiogram**
 in heart disease, 149
 after methonium compound for hypertension, 359-363, 366-367
 after smoking, 445
 in valvular disease, 784, 785
 and work capacity in heart disease, 424
- Ballistocardiography**
 in coronary artery disease, 461
 direct body, with microscope, 578-584
 vs. Fick method, in measurement of cardiac output, 624
 in males, 738-742

- simulating systole at necropsy, 44-61
 torsion, 585-598
 velocity of body displacement as index in, 276-281, 381-386
- Barbiturate**
 for arrhythmia, 759
 cardiac arrest due to, 948-949
 respiratory arrest due to, 948-949
- Base and acid balance**, in polycythemia vera, 626
- Bazett's index**, 923
- Beat**
 dropped, 766
 postextrasystolic, T-wave alterations in, 253-256
- Bed rest**
 and heart in anemia, 112, 115
 and venous velocity, 304, 632
- Bedpan**, in heart disease, 422
- Belgian Congo**, hypertension in, 659
- Beluga whale**, electrocardiogram of, 387-392
- Benzyllimidazolone**. *See* Priscoline
- Bile acid**, fecal, after dietary cholesterol, 433
- Binder**, and pulsus alternans, 867
- Bladder**, hypotonicity of, after hexamethonium, 830
- Blalock-Taussig operation**, for morbus coeruleus, 950
- Block**
 adrenergic
 after Dibenzylamine, 229
 in hypertension, 623
 Regitine in, 715-722
 autonomic, and circulation after Valsalva maneuver in mitral stenosis, 266-267
 stellate ganglion
 for focal cerebral infarct, 948
 for hemiplegia, 418
See also Heart block
- Blocking agent**
 autonomic, in hypertension, 352-368
 ganglionic, 229
- Blood**
 culture of, in bacterial endocarditis, 291-296
 flow of. *See* Circulation
 gases in
 in polycythemia vera, 626
 in pulmonary heart failure, 942
 infusion of, and pulsus alternans, 868
 oxygen in, in patent ductus arteriosus with pulmonary hypertension, 30, 32
 pressure of. *See* Blood pressure
 venous velocity of, 304
 volume of
 after dextran 305
 in lung, 941
- Blood count**, and bacterial endocarditis, 292
- Blood flow**. *See* Circulation
- Blood pressure**
 after Arfonad, 64
 arterial
 in left lateral recumbency, 148
 oscillation of, 141
 within arterial spider, 124
 and cardiac output, 535-540
 in cardiac resuscitation in ventricular fibrillation, 2-13
 during cyclopropane anesthesia, 943
 determinations of, direct vs. indirect, 232-241
 diastolic, and cardiac power, 59
 after exercise, 521-526
 after hexamethonium, 842-844
 high. *See* Hypertension
 low. *See* Hypotension
 after methonium compound for hypertension, 353-359, 364-366
 after papaverine, 876
 in portal vein in hemorrhagic shock, 624
 post-partum, 624
 preocclusion, 171-172
 pulmonary
 in patent ductus arteriosus with pulmonary hypertension, 29-30, 32
 regulation of, 140
 and race of patient, 655-660
 after Regitine, 718-719
 after serotonin, 628
- Blood stream**
 antibiotic for infection of, 469
 cooling of, 467
- Blood vessel**
 apparatus to measure elasticity of, 955
 caliber of, and atheromatosis, 42
 innervation of, 632
 of lower extremity, aging processes in, 36-43
 perfusion of, in evaluation of atherogenicity of blood, 438
 peripheral, murmur in, 145
 pulmonary, resistance of, 632
 reactive hyperemia in, 953
See also Artery; Capillary; Vein
- Body displacement**, velocity of, as index in ballistocardiography, 381-386
- Body fluid**, regulation of volume of, 286-288
- Body wall**, innervation of blood vessel in, 632
- Body water**, measurement of, 149
- Bone**, in aging change in artery, 38
- Bone marrow**, in platelet thrombosis syndrome, 670
- Book reviews**
 Benchimol, A. B.: *Cardiopatía Beriberica*, 957
 Cahen, P.: *Angiocardiographie et Cathétérisme Cardiaque*, 635
 DeCourcy, J. L. and DeCourcy, C. B.: *Pheochromocytoma and the General Practitioner*, 635
 French Bibliographical Digest. *Medicine: Heart and Blood Vessels*, 957
 Frey-Wyssling, A.: *Deformation and Flow in Biological Systems*, 638
 Göttsche, H.: *Congenital Heart Disease*, 637
 Graybiel, A., White, P. D., Wheeler, L., and Williams, C.: *Electrocardiography in Practice*, 634
 Holden, W. D.: *Acute Peripheral Arterial Occlusion*, 636
 Holzmänn, M.: *Clinical Electrocardiography*, 477; *Klinische Elektrokardiographie*, 637
 Justin-Besançon, L., and Maurice, P.: *La Pression Veineuse Périphérique*, 635
 Korth, C.: *Klinische Elektrokardiographie*, 637
 Lepeschkin, E.: *Modern Electrocardiography*, 636
 Payne, A. S., and Callahan, D.: *The Low Sodium Cook Book*, 957
 Rinzier, S. H.: *Cardiac Pain*, 636
 Starr, I.: *Physiologic Therapy for Obstructive Vascular Disease*, 477
 Stewart, H. J.: *Cardiac Therapy*, 634
- Boot**, plastic, for increased circulation in extremity, 304
- Bradycardia**, 766-767
- Brain**
 circulation in
 after aminophylline for hypertensive headache, 303
 after caffeine for hypertensive headache, 303
 hypocholesterolemic fraction from, 445
 in platelet thrombosis syndrome, 668
See also Cerebrum; Encephalopathy
- Breathing**, high pressure, electrocardiography in, 618
- Breathing capacity**, maximum, in rheumatic heart disease, 182
- Bronchial artery**
 connection of, with pulmonary vessels, 725
 radiologic pattern of, 789
- Bronchial vein**, in mitral stenosis, 794
- Brown Memorial Lecture**, on chemical factors in atherosclerosis, 641-653
- Bundle branch block**, 303, 464
 in spatial vectorcardiography, 611
- Caffeine**, for hypertensive headache, 303
- Calcification**
 as aging change in artery, 37-38, 41
 as aging change in vein, 38
 in surgery for arteriosclerosis, 709-710
- Calcium**
 deficiency of
 electrocardiographic changes in, 301
 in hypopotassemia, 801-826
 hypercalcemia, 301

- Calcium** (*Cont'd.*)
and myocardial contractility, 305
skeletal exchange of, 631
transcapillary movement of, 631
- Calf muscle**, circulation in, after hydrazinophthalazine for hypertension, 201
- Capacitance**, in electrocardiograph circuit, 105
- Capillary**
calcium movement across membrane of, 631
fragility of, and menstruation, 297
sodium movement across membrane of, 631
- Capillary pressure**, pulmonary, in heart disease, 941
- Carbohydrate**, protein-bound, chromatographic partition of, 448
- Carbon dioxide**
tension, and resistance of pulmonary blood vessel, 632
tolerance of dog heart to, 305
- Carbon monoxide**, uptake of, 796
- Carbonic anhydrase inhibitor**, for congestive heart failure, 627
- Carcinoma**
bronchogenic, pulmonary infarction mistaken for, 954
pericardial fluid in diagnosis of, 797
- Cardiac force**, maximal, 276-277
- Cardiac output**
in anemia, 111-112
after Arfonad, 64, 67
ballistocardiography vs. direct Fick method in measurement of, 624
control of, 535-540
determined by direct Fick method
vs. ballistocardiography, 624
without gas analysis, 943
dye dilution method for measurement of, 941
after hexamethonium, 203, 472
in hypertension, after hydrazinophthalazine, 200, 202
in low-output heart failure, 299
measurement of, 527-534, 624, 941, 943
after methonium compound for hypertension, 353-354, 364-365
in myxedema, 299
after norepinephrine, 891
physiology of, 527-540
in rheumatic heart disease, 299
- Cardiac work classification unit**, 147
- Cardiopexy**, for revascularization of myocardium, 449
- Cardiovascular disease**, rehabilitation in, 417-425
- Carditis**, rheumatic
and Aschoff body in mitral stenosis, 337-343
in left auricular appendage, 147
- Caroline Islander**, blood pressure in, 658
- Carotid artery**, pressure in, 941
- Carotid sinus**, pressure on, for ventricular tachycardia, 762
- Cat**, in assay of digitalis, 630
- Catheterization**, cardiac, 956
- Arrhythmia** during, 468
extrasystole during, 761
heart lesions due to, 943
infectious endocarditis after, 937
in interatrial septal defect, 781
in patent ductus arteriosus with pulmonary hypertension, 23-26, 29
whole blood oximeter, 313
- Cathode ray electrocardiograph**, 102
- Cation exchange**, alginic acid in, 468
- Cation exchange resin**
and corticotropin, 628
and cortisone, 628
- Caucasian**, blood pressure in, 656
- Cecum**, mesentery, after applied epinephrine, 632
- Cedinalid**, for ventricular tachycardia with anginal pain, 762
- Central nervous system**
arrhythmia after stimulation of, 140
ischemic, and oscillation of arterial pressure, 141
- Cerebral artery**, middle, aneurysm of, 952
- Cerebrospinal fluid**, pressure of
after aminophylline, 303
after caffeine for hypertensive headache, 303
- Cerebrum**
circulation in
after alcohol, 470
after aminophylline for hypertensive headache, 303
after Antabus, 470
after caffeine for hypertensive headache, 303
fat embolism to, 149
stellate ganglion block for focal infarct of, 948
surgery for spontaneous hemorrhage of, 790
vascular resistance in
in acidosis, 626
in alkalosis, 626
vasopressor, 142
- Chemotherapy**, for blood stream infection, 469
- Cherry angioma**, 127-128
- Chest**, funnel, repair of, 791
- Chest wall**
and kinetocardiogram, 273-275
motions of
during cardiac cycle, 569-576
recording of, 370-380
- Child**
arterial spider in, 118
atherosclerosis in, 442
A-V interval in, 461
esophagus electrocardiogram in, 136
P-Q interval in, 461
tolerance of, to digitoxin, 307
See also Infant; Newborn
- Chinese**, blood pressure in, 657-658
- Cholesteremia**, enteric factors in, 453
- Cholesterol**
in aged patients, 441
and antilippanogen, 447
aureomycin in regulation of, 453
in diabetes, 646, 649-650
dietary
chromatographic partition of serum after, 448
fecal bile acid after, 433
after fat diet, 444
in hypercholesteremia, 315, 434
and lippanogen, 447
metabolism of, after ultraviolet irradiation of, 438
in myocardial infarction, 647-649
in nephrosis, 646, 649-650
and phospholipid ratio, 642, 643, 644
and age of patient, 645
as index of atherosclerosis, 794
and sex of patient, 645
in plasma, 642, 643
after estrogen, 650-653
after induced coarctation of aorta, 442
in myocardial infarction, 647-649
in newborn, 643, 649-650
after testosterone, 652
radioactive, 434
in serum, 642
and age of patient, 148
and coronary artery disease, 174
diagnostic value of, 446
diurnal variations in, 723-730
esterification of, 315
and hypocholesterolemic effect of brain fraction, 445
after sitosterol diet, 444
in xanthomathosis, 646, 649-650
- Choline**, derivatives of, for arrhythmia, 759-760
- Chromatography**, partition, of serum after cholesterol diet, 448
- Circulation**
in calf muscle, after hydrazinophthalazine for hypertension, 201-202
cardiovascular, after hexamethonium, 137
cerebral
after alcohol, 470
after Antabus, 470
coronary
after hexamethonium for hypertension, 354, 364
humoral control of, 146
and Hydrergin, 308
nervous control of, 146
radioactive sodium chloride in, 943
restoration of, 783
after Dibenzylamine, 226-228
digital
after heating, 717-718
after Priscoline, 717-718
after Regitine, 715-722
and electrolyte depletion, 138

- in extremity
boot for increase of, 304
in hypertension, 86
hepatic-portal after hydra-
zinophthalazine for hyper-
tension, 201
of lymph, 944
and Meperidine, 305
in muscle, 201-202, 952
effect of oxygen in patent
ductus arteriosus with
pulmonary hypertension,
691
peripheral
in circulatory failure, 793
effect of injection volume on
intramuscular radio-
sodium clearance rate, 732-
734
pulmonary
in emphysema, 788-789
after hexamethonium bromide,
472
effect of hypoxia on, 146
and nitrogen breathing, 305
obstruction to, 849-862
in patent ductus arteriosus
with pulmonary hyper-
tension, 29-30
pathophysiology of, 466
before and after pulmonary
valvulotomy, 347
after silver nitrate, 471
renal
in anemia, 113
after Dibenamine in hemor-
rhagic shock, 630
after hexamethonium chloride,
137
after methonium compound
for hypertension, 354-359,
365-366
in myxedema, 299
standstill, due to ventricular
tachycardia, 766
effect of various types of effort
on, 474
after Valsalva maneuver in
mitral stenosis, 264-267
vena caval, effect of respiration
on, 942
venous, and posture, 140
in venous star, 125
Clotting test, survey of, 130
Clubbing, of finger tips, in bac-
terial endocarditis, 291
Coagulation, 779
defect of, in amniotic-fluid
embolism, 614
intravascular, 614
after penicillin, 458
and sodium citrate, 458
test for, 130
after tubocurarine, 457
in vein, 614
isolated segment of, 457
Coagulation time, anticoagulant
treatment based on, 780
Coarctation, of aorta, 459
atypical, 298
ballistocardiogram in, 150
cholesterol after induction of,
442
in infancy, 615
internal mammary arteries in,
615
roentgenologic sign of, 147
thoracic aortography in, 458
in torsion ballistocardiography,
595-596
Cocaine
and cardiac automaticity in
dog, 143
derivatives of, for arrhythmia,
758-759
Cold fraction, in subacute bac-
terial endocarditis, 297
Collagen, as aging change in
artery, 37-38
Collagen disease, after hydra-
zinophthalazine, 832-835,
837
Commissurotomy
angled needle for suturing au-
ricular appendage in, 951
mitral
electrocardiogram after, 461,
464
indications, 311
in older patient, 321-326
during pregnancy, 790
in rheumatic fever reactiva-
tion, 481-493
Commode, bedside, in heart dis-
ease, 422
Compound F, hypertensive effect
of, 629
Compression, manual, for ven-
tricular fibrillation, 940
Condenser, in electrocardiograph
circuit, 105
Conduction
anomalous, procaine amide for,
308
disturbances of, 766-767
right intraventricular focal
block of, 139
Connor Memorial Lecture, 527-540
Constipation, after hexametho-
nium, 829-830, 842
Contractility, myocardial, 305
Convertin, 780
Cooling
of bloodstream, 467
in constriction of isolated
artery, 631
Copper sulfate, sites of action of,
470
Cor pulmonale
chronic, and fibrocystic disease
of pancreas, 306
use of morphine in, 628
primary, 150
due to pulmonary hypertension,
150
Coronary artery
and angina of effort in anemia,
114
atherosclerosis of, 135
cholesterol-induced atherogene-
sis in, 436
circulation in
after hexamethonium for
hypertension, 354, 364
humoral control of, 146
and Hydrergin, 308
measured by radioactive
sodium chloride, 943
nervous control of, 146
restoration of, 783
disease of
after age of 100 years, 940
ballistocardiography in, 461
cardiopexy for, 449
electrocardiography in, 461
embolization of, with micro-
spheres, 304
injured, localization of lipids
in, 437
insufficiency of
anoxic test for, 135
electrocardiography in, 136
hypoxemia test for, 135
laceration of, due to stress, 300
lesion of, demonstrated by poly-
saccharide staining, 437
occlusion of
and hypertension, 170-175
vasomotor responses to, 783
pressure-flow relationships in,
941
sclerosis of
grading of, 443
heparin for, 457
in sudden death, 446
thrombosis of, and chronic
peptic ulcer, 134
Coronary sinus, circulation after
arterialization of, 790
Corrigan pulse, auscultation of,
630
Corticoid, urinary formaldehy-
dogenic, after enzymatic
hydrolysis, 622
Corticotropin
and atherogenesis, 455
for carditis, 342
and cation exchange resin
therapy, 628
electrolyte excretion after, 946
for juvenile rheumatoid ar-
thritis, 950
plasma hypertensinogen after,
947
renal function after, 946
for rheumatic fever, 475, 950
water exchange after, 946
Cortisone
for carditis, 342
and cation exchange resin
therapy, 628
electrolyte excretion after, 946
water exchange after, 946
for hyperplasia in adrenogenital
syndrome, 131
for juvenile rheumatoid ar-
thritis, 950
and myocardial infarct size,
544-548
plasma hypertensinogen after,
947
renal function after, 946
for rheumatic fever, 475, 950
serum potassium in adrenal-
ectomized dogs on, 462
Coumarin, hypoprothrombinemia
due to, 131
Countershock
electrical, in resuscitation from
ventricular fibrillation,
2-5, 9-14
for ventricular fibrillation, 940

- Cranial artery**, pulse wave in, in vascular headache of migraine type, 468
- C-reactive protein**, in rheumatic fever, 475
- Creatine**, in skeletal muscle, 474
- Cryoglobulin**, in subacute bacterial endocarditis, 297
- Cyanosis**, and pulmonary stenosis, 939
- Cyclopropane anesthesia**
Regitine for arrhythmia during, 145
blood pressure during, 943
ventricular extrasystole due to, 761
- Cyst**, pericardial, 307
- Death**
due to fright, 302
sudden, coronary artery in, 446
- Deficiency disease**, and arterial spider, 119-120
- Dentistry**, and prevention of subacute bacterial endocarditis, 294-295
- Depression**, organic sino-auricular, 625
- Desoxycorticosterone**
electrolyte excretion after, 946
esters of, in production of hypertension, 946
plasma hypertensinogen after, 947
renal function after, 946
and sodium distribution, 287
water metabolism after, 946
- Dextran**, 304
blood volume after, 305
- Dextrocardia**, P wave in, 301
- Diabetes mellitus**
acidosis of, potassium in, 784
cholesterol in, 646, 649-650
lipoprotein in, with arteriosclerotic disease, 440
neuropathy in, 440
orthostatic hypotension in, 150
phospholipid in, 646, 649-650
- Diarrhea**, due to Regitine, 721
- Diastole**
blood pressure in, and cardiac power, 59
early, in torsion ballistocardiography, 596-597
isometric, in kinetocardiogram, 273
- Dibenzamine**
electrocardiography after, 785
and renal blood flow in hemorrhagic shock, 630
- Dibenzylamine**, 224-230
for hypertension, 193-197
essential, 138, 788
- Dicumarol**
vitamin K in control of hypoprothrombinemic effect due to, in congestive heart failure, 299
vitamin K₁ antagonism to, 458
- Diet**
and arterial spider, 119-120
and atherosclerosis, 794
and heart disease, 439
for hypertension, 786
- Digit**
aging changes in artery in, 38
blood flow in
after heating, 717-718
after Priscoline, 717-718
after Regitine, 715-722
hair growth on, and ischemia, 953
- Digitaine Nativelle**, in a new solvent, 469
- Digitalis**
for arrhythmia, 757-758
for auricular flutter, 763
cardiovascular action of
after atropine, 144
after Flaxedil, 144
after vagotomy, 144
cat assay of, 630
eosinophilia after, 624
for extrasystoles, 760-761
for heart block, 767
and pulsus alternans, 869-870
and unipolar electrocardiogram, 462
for ventricular tachycardia with anginal pain, 762, 763
- Digitoxin**
for auricular flutter, 763
effect of, on electrocardiogram, 301
in a new solvent, 469
tolerance to, and age of patient, 307
- Dihydrocholesterol**, dietary, serum lipoprotein after, 443
- Dihydrostreptomycin**, and penicillin, for subacute bacterial endocarditis, 494-508
- Dipole moment**, 560-561
- Direct writer electrocardiograph**, 102
- Diuresis**
after epinephrine, 143
after norepinephrine, 143
after renin, 474
- Diuretic, mercurial**
fastness to, in congestive heart failure, 616
hypochloremic alkalosis due to, in congestive heart failure, 133
Meralluride, 308
Mercurhydrin, 308
and thiamine excretion, 746-748
unresponsiveness to, in congestive heart failure, 298
- Diverticulum**, of rubber, for digital exploration of ventricle, 951
- Dog**
cardiac tolerance to carbon dioxide, 305
effect of cocaine on automaticity in, 143
coronary embolization in, with microspheres, 304
electrical stimulus in repolarization of left ventricle of, 253-256
heart of, homografted, 750-755
hypertension in, 195
lipid values in, 643-644
- pulmonary circulation in, effect of hypoxia on, 146
- Dorsalis pedis artery**, aging changes in, 38, 41
- Ductus arteriosus**, patent, 782
ballistocardiogram in, 150
with pulmonary hypertension, 15-33, 79, 681-693
with pulmonary hypertension and shunting of blood from pulmonary artery to aorta, 782
right ventricular hypertrophy in, 28
- Dye dilution curve**, in cyanotic congenital heart disease, 70-80
- Dye dilution method**
for measuring cardiac output, 941
for measuring pulmonary blood volume, 941
- Dyspnea**
and anemia, 112-113, 115
exertional, and pulmonary function in rheumatic heart disease, 178-186
in patent ductus arteriosus with pulmonary hypertension, 28
- Ebstein's malformation of tricuspid valve**, 616, 782
- Edema**
formation of, 466
pulmonary
alcohol-oxygen vapor for, 471
electrocardiographic changes in, 622
intravenous treatment of, 630
neurohemodynamics of, 138-139
octyl alcohol for, 629
due to subacute nephritis, 955
- Effort angina**, in anemia, 114, 115
- Effusion**, hemorrhagic pericardial, 796
in diagnosis of carcinoma, 797
- Egypt**, blood pressure in, 656
- Eisenmenger's syndrome**, vs. patent ductus arteriosus with pulmonary hypertension, 28, 29, 692
- Electrical shock**, for ventricular fibrillation, 765
- Electrocardiogram**
during angiocardiology, 784
and Aschoff body in mitral stenosis, 341
of auricle, 621
after cooling of precordium, 137
in damage to cardiac fibers, 620
deceptive, in ventricular hypertrophy, 403-416
effect of digitoxin on, 301
in endocarditis lenta, 785
esophageal, in child, 136
after exercise, related to age of patient, 510-519
and frequency response of electrocardiographs, 98-109
global and focal components of, in unipolar leads, 464
after hexamethonium, 844-845
for hypertension, 215-216

- after hydrazinophthalazine for hypertension, 215-216
 in hypercalcemia, 301
 in hypocalcemia, 301
 in hypertension
 after methonium compounds, 215-216, 363-364
 before and after sympathectomy, 465
 kinetocardiogram, 269-275, 370-380, 569-576
 left intracavitary physiogenesis of, 619
 in left ventricular hypertrophy, 301
 magnetic tape recording of, 735-737
 after methonium compound for hypertension, 215-216, 363-364, 367
 after mitral commissurotomy, 461
 and myocardial disturbance, 618
 normal, 920-934
 vectors derived from, 929-934
 in patent ductus arteriosus with pulmonary hypertension, 17
 in right ventricular hypertrophy, 17
 and vectorcardiogram, 608-611, 619
 unipolar, and cardiac glycosides, 462
 of whale, 387-392
- Electrocardiography**
 in auricular septal defects, 620
 in combined ventricular hypertrophy, 135
 in coronary artery disease, 461
 in coronary insufficiency, 136
 after Dibenamine, 785
 in Eisenmenger's complex, 620
 during endotracheal intubation, 784
 in fibrillation during artificial perfusion, 620
 high fidelity, in myocardial infarction, 905-913
 during finger fracture mitral valvuloplasty, 311
 frequency response of, and form of electrocardiogram, 98-109
 lead, 554-567
 measurement of deflections in, 924-929
 in myocardial infarction, 460
 in pressure breathing, 618
 in pulmonary edema, 622
 in pulmonary emphysema, 136
 in pulmonary scleroemphysema, 786
 in tetralogy of Fallot, 615
 in trilogy of Fallot, 615
 in ventricular defect, 620
 ventricular gradient in, 463
 in ventricular hypertrophy, 619
 zero point in, 137
- Electrode**, indifferent, 562-564
- Electrocardiography**
 clinical applications of, 463
- of left auricular movement in mitral valvular disease, 136
- Electrolyte**
 and congestive failure, 133
 depletion of, in production of circulatory failure, 138
 excretion of
 after corticotropin, 946
 after cortisone, 946
 after desoxycorticosterone, 946
 in essential hypertension, 788
 after hexamethonium chloride, 137, 945
 metabolism of, in congestive heart failure, 298
- Electromotive force**, of heart, 555-565
- Electron microscopy**, in cardiology, 469
- Embolectomy**, direct aortic, 310
- Embolism**
 air
 treatment of, 313
 after ventriculography, 792
 amniotic-fluid, 614
 fat, to cerebrum, 149
 and mitral commissurotomy in older patient, 322
 and quinidine for auricular fibrillation, 764, 765
- Embolization**
 coronary, with microspheres, 304
 mural thrombi as source of, in myocardial infarction, 617
- Embolus**
 and bacterial endocarditis, 291, 293
 in occlusion of patent foramen ovale, 394-401
 in patent ductus arteriosus with pulmonary hypertension, 30-31
- Emesis**
 central mechanism for, 470
 for ventricular tachycardia, 762
- Emotion**
 and hypertension, 137, 146
 paroxysmal ventricular tachycardia due to, 302
- Emphysema**
 carbon monoxide uptake in, 796
 intrapulmonary mixing of helium in, 796
 pulmonary, 306, 786
 electrocardiography in, 136
 pulmonary circulation in, 788-789
- Employment**, of cardiac patients, 421-425
- Encephalopathy**, 786
 and hexamethonium for hypertension, 208, 210
 after Hyphex, 836, 837
- Endocarditis**
 acute bacterial, 295
 enterococcal, 457
 infectious, after cardiac catheterization, 937
 lenta, electrocardiogram in, 785
 subacute bacterial
 antibiotics for, 130, 294, 494-508, 779
- bacitracin for, 130
 cold precipitable globulins in, 297
 diagnosis of, 290-294
 diphtheroid, 130
 erythromycin, 503
 penicillin - dihydrostreptomycin for, 494-508
 prevention of, 294-295
 valvular involvement in, and blood pressure resting on valve, 130
- Endothelium**, venous, in inception of thrombosis, 312
- Enteramine**, as cerebral vasopressor principle of Taylor, Page, and Corcoran, 142
- Enterococcus**, endocarditis due to, 457
- Enzyme**, hydrolysis due to urinary formaldehydogenic corticoid after, 622
- Eosinophilia**, after digitalis, 624
- Ephedrine**, and heart rate in auriculoventricular block, 766
- Epinephrine**
 and aging processes in blood vessels, 42
 antidiuretic action of, 143
 cardiac effects of, 142
 cecal mesentery after application of, 632
 and electric potentials of myocardium, 945
 and hypertensive pressoreceptor responses, 945
 kidney response to, 628
 and monophasic auricular action potential, 628
 plasma hypertensinogen after, 947
 in resuscitation from ventricular fibrillation, 5-6, 9-10, 11, 13
 for shock in myocardial infarction, 883-892
 for ventricular fibrillation, 940
- Ergot**, hydrogenated alkaloids of, and vasomotor reflexes, 143
- Erythema**, palmar, 119-120
- Erythrocyte sedimentation rate**, and Aschoff body in mitral stenosis, 341
- Erythromycin**, for subacute bacterial endocarditis, 503
- Eskimo**, blood pressure in, 658
- Esophagus**
 in cardiology, 789
 contraction of, and cardiac pain, 798
 electrocardiogram, 934
 in child, 136
- Esterification**, of serum cholesterol, 315
- Estinyl**, and plasma cholesterol, 650-653
- Estrogen**
 and arterial spider, 118, 128
 in cholesterol-induced coronary atherogenesis, 436
 for coronary disease, 174
 and plasma cholesterol, 650-653

- Euphrates Valley**, blood pressure in, 656
- Evans blue dye**, dilution curve of, in cyanotic congenital heart disease, 70-80
See also T-1824 dye
- Exchange resin**, cation and corticotropin, 628 and cortisone, 628
- Excitability**, myocardial, 305
- Exercise**
 blood pressure response to, and age of patient, 521-526
 electrocardiographic response to, and age of patient, 510-519
 heart rate response to, and age of patient, 521-526
 Korotkoff sounds after, 601
 and premature ventricular contraction, 140
 and pulsus alternans, 868
- Extrasystole**
 due to anesthesia, 761
 due to digitalis, 758, 761
 potassium for, 761
 treatment of, 760-761
 ventricular, due to digitalis, 758
 T-wave change following, 253-256
- Extremity**
 circulation in, boot for increase of, 304
 gangrene of, secondary to venous thrombosis, 312
 lower
 aging processes in blood vessels in, 36-43
 arterial spider in, 123
 location of valves in main veins of, 470
 skin temperature of, after Arfonad, 66, 68
- Eye**, in congenital heart disease, 616
- Eyeball**, pressure on, for ventricular tachycardia, 762
- Eyesight**, after hexamethonium, 830, 842
- Fagarine**, for arrhythmia, 759
- Fasting**, electrophoretic pattern of serum after, 452
- Fat**
 dietary
 serum lipoprotein after, 443
 and total cholesterol, 444
 embolism, to cerebrum, 149
 loading with, and age of patient, 450
- Feces**, bile acid in, after dietary cholesterol, 433
- Femoral artery**
 resection of, for arteriosclerotic obstruction, 708-713
 sound from, 146
- Femoral vein**
 location of valves in as related to varicose veins, 470
 sound from, 146
- Fetus**
 bicephalic, with two hearts, 939
 heart sounds of, 949
- Fever**
 in bacterial endocarditis, 290, 294
 after hydrazinophthalazine, 831, 837
 after mitral commissurotomy, 482-489
- Fiber**, cardiac, electrocardiogram in damage to, 620
- Fibrillation**
 during artificial perfusion electrocardiography in, 620
 auricular, 764-765
 and Aschoff body in mitral stenosis, 339-341, 342
 and auricular thrombosis, 166
 digitalis for, 763
 in mitral stenosis, 791
 in mitral surgery, 791
 in nicotine poisoning, 466
 phonocardiography in, 630
 quinidine for, 757, 763
 treatment for, 764-765
 conversion of, to sinus rhythm, 757, 763, 764-765
 ventricular
 Adams-Stokes syndrome due to, 139
 due to digitalis, 761
 due to fagarine, 759
 paroxysmal, 139
 potassium for, 759
 after quinidine, 766
 treatment for, 1-14, 765, 940
- Fibrinogen**, in plasma
 after myocardial infarction, 617
 after tissue damage, 625
- Fibroblast**, in aging change in artery, 38
- Fibrocytic disease**, of pancreas, and chronic cor pulmonale, 306
- Fick method**
 vs. ballistocardiography in measurement of cardiac output, 624
 in calculation of cardiac output, 529
 direct, in determining cardiac output without gas analysis, 943
- Filtration**, of excised artery and vein, 473
- Filtration rate**, glomerular, and hexamethonium, 355-359, 365-366, 945
- Finger tip**, clubbing of, in bacterial endocarditis, 291
- Fistula**, arteriovenous
 peripheral, 309
 pulmonary, 314
 circulatory changes in, 792
 for severe arterial hypertension, 312
- Flaxedil**, and cardiovascular action of digitalis, 144
- Fluid**, pericardial, in diagnosis of carcinoma, 797
- Fluoroscopy**, at specific degrees of rotation, 879-882
- Flutter**
 arterial, in production of Korotkoff sounds, 603
 auricular, 763-764
 quinidine for, 757
 ventricular, 764
- Focal block**, of right intraventricular conduction, 139
- Folliandrin**, in geriatric practice, 948
- Foramen ovale**, patent
 with congenital pulmonary stenosis, 132
 embolic occlusion of, 394-401
- Friedreich's ataxia**, cardiac manifestations of, 797
- Fright**, death due to, 302
- Funnel chest**, repair of, 791
- Ganglion**, stellate, block of
 for focal cerebral infarct, 948
 in hemiplegia, 418
- Gangrene**, of extremity, secondary to venous thrombosis, 312
- Gas**
 in arterial blood, in pulmonary heart failure, 942
 diffusion coefficients of in arterial tissue, 451
- Gastrocnemius muscle**, radio-sodium clearance from, after Priscoline, 93-96
- Gastrointestinal tract**, in platelet thrombosis syndrome, 670
- Globin**, modified human, as plasma expander, 623
- Globulin**
 alpha, 642
 beta, 642
 and hypoalbuminemia in arteriosclerosis, 450
 cold precipitable, in subacute bacterial endocarditis, 297
- Giobulinemia**, hyperbeta, and hypoalbuminemia, 450
- Glomerular filtration rate**, and hexamethonium, 355-359, 365-366, 945
- Glomerulonephritis**, and hypertension, hexamethonium in, 207, 208, 210, 217
- Glucuronidase**, hydrolysis due to urinary formaldehyde-genic corticoid after, 622
- Glycoside**, cardiac
 digitalis native, 469
 Folliandrin, 948
 Oleandrine, 629
 ouabain, 762
 sites of action of, 470
 and unipolar electrocardiogram, 462
See also Digitalis; Digitoxin
- Gradient**, ventricular, 463
- Grafting**
 of canine heart, 750-755
 saphenous, for arteriosclerotic obstruction, 708-713
 of subternal osteoperiosteal rib, as strut for repair of funnel chest, 791
- Granuloma**, due to penicillin sensitivity, 306
- Guatemalan**, blood pressure in, 658
- Gut**, arteriolar pulsations of, studied by photoplethysmography, 798
- Hair**, on digits, and ischemia, 953
- Hand**, palmar erythema, 119-120
- Headache**
 hypertensive
 aminophylline for, 303
 caffeine for, 303

- vascular, cranial artery pulse wave in, 468
- Heart, occupational, 314**
- Heart**
- amyloidosis of, 778
 - in anemia, 111-116
 - antibiotic for infection of, 469
 - arrest, 766, 948-949
 - canine, homografted, 750-755
 - carbon dioxide tolerance of, 305
 - catheterization of. *See* Catheterization
 - control of, by repetitive electrical stimuli, 139
 - dextrocardia, 301
 - dipole moment of, 562
 - doubled, in bicephalic fetus, 939
 - electrical events of, 786
 - electrical resuscitation of, in ventricular standstill, 625
 - electromotive force of, 555-565
 - electron microscopy in study of, 469
 - extract of, 946
 - fiber of, electrocardiogram in study of damage to, 620
 - force of, 276-277
 - functional disturbance of, 149
 - hypertrophy of, determined by auscultation, 309
 - isolated perfused, water distribution in, 631
 - lesion of, due to cardiac catheterization, 943
 - massage
 - cardiac rupture during, 955
 - in resuscitation from ventricular fibrillation, 4-5, 8-13
 - maximal force of, 276-277
 - mechanical, maintenance of life by, 312
 - medial arch of silhouette of, in mitral stenosis, 622
 - movement of, in ballistocardiography, 593-595
 - muscle of. *See* Myocardium
 - myxoma of, 141
 - neoplastic alteration of, 795
 - output of. *See* Cardiac output
 - pain, electrocardiography in, 136
 - plasma volume of, 631
 - power of, and ballistic amplitude, 59
 - rate of, 538
 - in auriculoventricular block, 766
 - after exercise, 521-526
 - after hexamethonium for hypertension, 214
 - after hydrazinophthalazine for hypertension, 214
 - after norepinephrine, 890
 - normal, 921
 - and P wave, 785
 - and Q-T interval, 923
 - and ventricular alternans, 870
 - reflexes from, 795
 - refractory period of, 250
 - respiration of, after thyroid hormone, 631
 - revascularization of, 790
 - with skin flap transplant, 791
 - rupture of, during cardiac massage, 955
 - secondary tumor of, 944
 - size of
 - in anemia, 113, 115
 - after hexamethonium, 845
 - and prognosis in mitral commissurotomy in older patient, 326
 - and Starling's law, 538-540
 - standstill, 766
 - due to barbiturates, 948-949
 - of turtle, conducting tissue in, 631
 - traumatic rupture of, with intact pericardium, 945
 - work of, 277-278
- Heart block**
- auriculoventricular, 766
 - longevity in, 148
 - auriculoventricular
 - after myocardial infarction, 766
 - quinidine in, 757
 - bundle branch, 303, 464
 - in spatial vectorecardiography, 611
 - congenital, 298
 - focal, and right intraventricular conduction, 139
 - and protection of ectopic focus, 249
 - orthostatic factors in pulsus alternans, 864-873
 - treatment for, 766-767
- Heart disease**
- congenital, 131
 - cyanotic, dye dilution curve in, 70-80
 - effort syncope in, 780
 - eye changes in, 616
 - at high altitude, 458
 - and valvular lesions, 621
 - and diet, 439
 - functional, frequency of, 149
 - ischemic, and peripheral arterial occlusion, 952
 - organic
 - frequency of, 149
 - thiamine deficiency in, 744-749
 - pulmonary capillary pressure in, 941
 - radioiodine for, 783
 - rehabilitation in, 417-425
 - rheumatic
 - and Aschoff body in mitral stenosis, 337-343
 - cardiac output in, 299
 - mortality in, 633
 - murmur in, 497
 - pulmonary function in, 178-186
 - renal circulation in, 299
 - in university students, 148, 315
 - velocity of body displacement in, 381-386
 - work capacity in, 421-445
- Heart failure, 132**
- congestive
 - due to amyloidosis, 769-778
 - and anemia, 115
 - carbonic anhydrase inhibitor for, 627
 - electrolytes in, 133, 298
 - hepatic hypoglycemia in, 459
 - hypochloremic alkalosis due to mercurial diuretics for, 133
 - mercurial diuretics in, 298
 - mercurial fastness in, 616
 - pressure pulse in right side of heart in, 942
 - serum quinidine in, 939
 - sodium balance in, 282-288
 - sympathomimetic amines in, 891
 - vitamin K control of hypoprothrombinemic effect of dicumarol in, 299
 - dynamics of, 459
 - low-output
 - cardiac output in, 299
 - renal circulation in, 299
 - after mitral commissurotomy, 484-489
 - peripheral circulation in, 793
 - pulmonary, arterial blood gases in, 942
 - pulmonary hypertension in, and nervous system, 782-783
 - due to pulmonary infection, 954
- Heart sound**
- fetal, 949
 - second, in hypocalcemia, 815-817
 - third, 309
 - and rate of filling of heart, 949
- Heart vector, 561-562**
- Heating**
- and digital blood flow, 717
 - environmental, and venous pressure, 468
- Hellum, intrapulmonary mixing of, 796**
- Hematocrit**
- after hexamethonium for hypertension, 217, 218
 - after hydrazinophthalazine for hypertension, 217, 218
- Hemiplegia, rehabilitation in, 418-420**
- Hemodilution**
- after hexamethonium for hypertension, 217-218
 - after hydrazinophthalazine for hypertension, 217-218
- Hemopericardium, complicating myocardial infarction, without cardiac rupture, 460**
- Hemoptysis, after mitral commissurotomy, 489**
- Hemorrhage**
- in Osler's disease, 126
 - shock due to portal vein pressure in, 624
 - spontaneous cerebral surgery for, 790
- Heparin**
- for atherosclerosis, 457, 615
 - circulating, 448
 - and lipemia, 454
 - and plasma lipid, 444
 - and serum lipo-protein, 726-730
 - and sodium citrate, 458
 - in surgery for arteriosclerosis, 713
- Heredity**
- of coronary atherosclerosis, 135
 - of hypertension, 303
- Hexamethonium**
- blood pressure after, 842-844
 - cardiac output after, 203, 472

Hexamethonium (Cont'd.)

- and circulation
 - cardiovascular, 137
 - pulmonary, 472
 - renal, 137
- and electrolyte excretion, 137, 945
- and glomerular filtration rate, 945
- for hypertension, 193-197, 206-222, 352-368, 840-847
 - hemodynamic effects of, 353-359, 364-366
 - together with hydrazinophthalazine, 672-679, 829-838, 947
 - during pregnancy, 787
 - together with procaine, 786
- in normotensive subjects, 208
- potentiation of other vasodilator drugs by, 211
- for pre-eclampsia, 787
- prolongation of action of, 304
- and renal function, 945
- response to, after sympathectomy, 211
- side effects of, 829-830, 842
- Hexamethylene bis-ethylidimethylammonium**, prolongation of action of, 304
- Hexylcaine hydrochloride**, as topical spray in endotracheal intubation, 784
- Hiccups**, in myocardial infarction, 617
- High altitude**, congenital heart disease at, 458
- Homografting**, of canine heart, 750-755
- Hormone**
 - adrenal cortical, and sodium distribution, 287
 - adrenocorticotrophic. *See* Corticotropin
 - for coronary disease, 174
 - thyroid, and respiration of cardiac tissue, 631
- See also* Cortisone; Estrogen
- Humidity**, environmental, and venous pressure, 468
- Humoral factor**, in hypertension, 465
- Hydergine**, for angina pectoris, 308
- Hydrallazine**, for hypertension, 188-197
- Hydrazinophthalazine**, 304
 - Apresoline, 304, 622
 - hemodynamic effects of, 199-203
 - for hypertension, 211-222, 622, 788
 - together with hexamethonium, 358-359, 361-362, 365, 366, 672-679, 828-838, 947
- Hydrallazine, 188-197
- side effects of, 830-835
- Hydrolysis**, enzymatic, urinary formaldehydogenic corticoid after, 622
- Hydrostatic tension**, and aging changes in blood vessels, 41-42
- Hypercalcemia**, electrocardiographic changes in, 301

Hypercholesterolemia

- cholesterol in, 434
- esterification of serum cholesterol in, 315

Hyperemia, reactive

- Korotkoff sounds after, 601, 604
- in a single vessel, 953

Hyperlipemia, primary, effect of heparin on plasma lipids in, 444**Hyperplasia**, cortisone for, in adrenogenital syndrome, 131**Hyperpnea**, in rheumatic heart disease, 183**Hypertensinogen**, in plasma, 947**Hypertension**

- adrenergic blocking drugs for, 623
- Apresoline for, 622
- arterial, drug therapy for, 466
- autonomic blocking agents in, 205-222, 352-368
- due to compound F, 629
- and coronary occlusion, 170-175
- desoxycorticosterone esters in production of, 946
- dibenzyline for, 193-197
- dietary treatment for, 786
- electrocardiogram in, before and after sympathectomy, 465
- and emotional stress, 137
- essential
 - B-alkylamines for, 788
 - Dibenzyline for, 138, 788
 - electrolyte excretion in, 788
 - 688-A for, 138
 - sympathectomy for, 787
 - water excretion in, 788
- headache due to
 - aminophylline for, 303
 - caffeine for, 303
 - heredity of, 303
- hexamethonium for, 193-197, 206-222, 352-368, 672-679, 787, 840-847
 - with procaine, 786
- humoral factors in, 465
- hydrallazine for, 188-197
- hydrazinophthalazine for, 200, 211-222, 358-359, 361-362, 365, 366, 622, 672-679, 788
- and hypertensive encephalopathy, veriloid for, 786
- Hyphex for, 672-679, 829-838
- malignant, reversibility of, 465
- in Negroes, 658-659
- oral protoveratrine for, 138
- pentamethonium for, 210, 218
- pentapyrrolidinium for, 448
- persistent arterial, arteriovenous fistula for, 312
- potassium thiocyanate for, 947
- during pregnancy, hexamethonium for, 787
- pressorceptor responses in, after epinephrine, 945
- procaine for, with hexamethonium, 786
- pulmonary, 796
 - with atrial septal defect, 72
 - cor pulmonale due to, 150
 - effort syncope in, 780
 - essential, 150

- in heart failure, 782-783
- with patent ductus arteriosus, 15-33, 79, 681-693, 782
- surgical significance of, 311
- and veno-arterial shunt in the atria, 781
- renal, intrarenal pressure in, 314
- renal function after veriloid for, 787
- sodium chloride and adrenal gland in, 623
- sodium nitroprusside for, 947
- and stress, 146
- subtotal adrenalectomy for, 951
- sympathectomy for, 951
- tetraethylammonium for, 193-197
- vasoconstrictor tone in, in extremities, 82-87
- veratrum viride for, 465
- Hyperthermia**
 - electrocardiography in, 491
 - serum potassium in, 461
- Hypertrophy**, cardiac, determined by auscultation, 309
- See also* Ventricle
- Hyperventilation**, in rheumatic heart disease, 183
- Hyphex**, for hypertension, 672-679, 829-838
- Hypoalbuminemia**, and hyperbeta globulinemia, 450
- Hypocalcemia**
 - electrocardiographic changes in, 301
 - in hypopotassemia, 801-826
- Hypocholesterolemia**, due to brain fraction, 445
- Hypoglycemia**, hepatic, in congestive heart failure, 459
- Hypopotassemia**, 470
 - electrocardiographic pattern of, with and without hypocalcemia, 801-826
- Hypoprote thrombinemia**
 - coumarin-induced, intravenous emulsified vitamin K, for, 131
 - phenylindanedione-induced, 938
- Hypotension**
 - in left lateral recumbency, 148
 - after myocardial infarction, 299
 - norepinephrine for, 948
 - orthostatic
 - in diabetes mellitus, 150
 - after hexamethonium, 829
 - postural
 - after Arfonad, 64
 - after hexamethonium, 207, 209, 214
- Hypoxemia test**, with Millikan oximeter for coronary insufficiency, 135
- Hypoxia**
 - arterial, and hyperemia, 952
 - and pulmonary circulation of dog, 146
- I wave**
 - in systole simulated at necropsy, 49
 - in torsion ballistocardiography, 596
- Ileus**, paralytic, after hexamethonium, 842

- Iliac vein**, location of valves in, as related to varicose veins, 470
- Impotence**, after hexamethonium, 830, 842
- Incompetence**, mitral, 940
- Index of intrapulmonary mixing**, in rheumatic heart disease, 184
- India**, blood pressure in, 656
- Industrial medicine**, 314
- Infant**
coarctation of aorta in, 615
congenital pulmonic stenosis with open foramen ovale in, 132
paroxysmal tachycardia in, and White - Parkinson - Wolff syndrome, 302
See also Child; Newborn
- Infarction**
cerebral, stellate ganglion block for, 948
of interventricular septum, 940
myocardial
acute, 460
anticoagulant for, 617
auriculoventricular block after, 767
cholesterol in, 647-649
effect of cortisone on size of, 544-548
dorsal thoracic lead in, 302
electrocardiography in, 460
emergency appendectomy during anticoagulant therapy for, 131
myocardial estrogen administration in, 651-652
hemopericardium as complication in, 460
hiccup in, 617
high fidelity electrocardiography in, 905-913
and hypertension, 170-175
hypotension after, 299
lipoprotein in, 648
magnesium salts for ventricular tachycardia of, 629
after major surgery, 618
mural thrombi as source of embolization in, 617
norepinephrine for shock accompanying, 142
papaverine for ectopic ventricular tachycardia due to, 874-877
phenylindanedione for, 297
plasma fibrinogen after, 617
plasma lipids in, 646-649
phospholipid in, 647-649
pressor amine for shock in, 134
prognosis, 460
Q-T interval in, 621
ruptured, 940
in spatial vectorcardiography, 611
sympathomimetic amines for shock in, 883-892
tachycardia in, 763
vasomotor response to, 170-175
with ventricular extrasystoles, 760-761
- pulmonary, mistaken for bronchogenic carcinoma, 954
- Insufficiency**
coronary
anoxic test for, 135
electrocardiography in, 136
hypoxemia test for, 135
mitral, left auricular movement in, 136
- Intima**, plaque in, in aging arterial changes in lower extremity, 36, 38, 41
- Intrapulmonary mixing**, index of, in rheumatic heart disease, 184
- Intrinsicoid deflection**, normal, 923-924
- Intubation**, endotracheal, electrocardiography during, 784
- Iodine**, radioactive, for heart disease, 783
- Ion-exchange resin**, for edema due to subacute nephritis, 955
- Ipecac**, for ventricular tachycardia, 762
- Irradiation**, ultraviolet, and cholesterol metabolism, 438
- Ischemia**,
of central nervous system, and oscillation of arterial pressure, 141
duration of, and reactive hyperemia in a single vessel, 953
related to hair growth on digits, 953
- Isopropylarterenol**, cardiac effects of, 143
- Isuprel**, and electrical potentials of myocardium, 945
- J wave**, in torsion ballistocardiography, 596
- Japanese**, blood pressure in, 658
- Kartagener's syndrome**, 939
- Kenya**, hypertension in, 659
- Khellin**, toxicity due to, 144
- Kidney**
arteriolar pulsations of, studied by photoplethysmography, 798
circulation in
in anemia, 113
after Dibenamine in hemorrhagic shock, 630
after hexamethonium, 137
in low-output heart failure, 299
after methonium compound for hypertension, 354-359, 365-366
in myxedema, 299
disease of, vs. diagnosis of bacterial endocarditis, 292
function of
after autonomic blocking agents for hypertension, 216, 220, 221
after corticotropin, 946
after cortisone, 946
after desoxycorticosterone, 946
- and hexamethonium, 845, 945
and protoveratrine, 945
and venous pressure, 466
after veriloid for hypertension, 787
hypertension due to intrarenal pressure in, 314
insufficiency of, and hypex for hypertension, 677-678
involvement of, in rheumatic fever, 632
lesion of, in bacterial endocarditis, 292
in platelet thrombosis syndrome, 668
response of
to epinephrine, 628
to norepinephrine, 628
- Kinetocardiogram**, 269-275, 370-380, 569-576
- Korean**, blood pressure in, 658
- Korotkoff sounds**, intermediate, 600-604
- Krebs cycle**, in myocardium, 467
- Lamella**, elastic, of artery, 37-38
- Lanatoside C**, oxygen consumption of myocardium incubated in, 472
- Law of the heart**, Starling's, in atrial septal defect, 141
- Lead**
chest, paracardiac, 620
definition of, 556
dorsal thoracic, in posterior wall infarction, 302
electrocardiographic, 554-567
esophageal, 934
field of, 555, 558-562
intracardiac, 934
left dorsal, 464
measuring accuracy of, 564-565
precordial
P wave in, 302
and spatial vectorcardiography, 609-610
vector, 555, 559-560
- Leg**
aging processes in blood vessels in, 36-43
binding of, and pulsus alternans, 867
venous velocity in, 304
- Levocardia**, P wave in, 301
- Levophed**, for shock in myocardial infarction, 883-892
- Limb**
radiosodium clearance from, after Priscoline, 89-96
See also Extremity
- Lipemia**
and antiheparin, 454
and heparin, 454
- Lipemia clearing factor**
purification of, 435
in vitro production of, 435
- Lipfanogen**, and cholesterol, 447
- Lipid**
in dog, 643-644
localization of, in injured coronary artery, 437
in plasma, 643
and atherogenesis in old age, 453
after corticotropin, 455

Lipid (Cont'd.)

- in plasma
 - in myocardial infarction, 646
 - and pancreatic extract, 455
 - effect of phosphatide on, 450
 - and sex of patient, 645, 649
 - effect of steroid on, 450
 - variations in, 644-649
 - and vitamin B₁₂, 455
 - and vitamin E, 455
- protein-bound, chromatographic partition of, 448
- in rabbit, 643-644
- in rat, 643-644
- relationship of, with protein, 451
- in serum
 - and circulating heparin in, 448
 - and obesity, 439
 - in old age, 441
 - stability of, 454
 - in vascular disease, 447
- transport of, 451
- Lipoprotein**
 - alpha, 642
 - cholesterol-phospholipid ratio of, 644
 - beta, 642
 - cholesterol-phospholipid ratio, 644
 - and coronary sclerosis, 174
 - in serum, in aged patients, 441
 - cholesterol in, in myocardial infarction, 648
 - in diabetics with arteriosclerotic disease, 440
 - in plasma, after estrogen, 651
 - in serum
 - in atherosclerosis, 432, 434
 - and circulating heparin in, 448
 - after dihydrocholesterol diet, 443
 - diurnal variations in, 723-730
 - after fat diet, 443
 - after heparin, 726-730
 - after sitosterol diet, 443
 - after Treburon, 728-730

Liver

- arteriolar pulsations of, studied by photoplethysmography, 798
- disease of
 - and arterial spider, 117
 - and palmar erythema, 120
- in platelet thrombosis syndrome, 670

Longevity, and complete atrio-ventricular block, 148**Loop, vectorcardiographic, direction of rotation of, 137****Lung**

- arteriovenous aneurysm of, 793
- arteriovenous fistula of, 314
- atelectasis, experimental reflex, 467
- biopsy, in mitral stenosis, 897
- blood volume of, 941
- circulation in, and nitrogen breathing, 305
- edema of
 - alcohol-oxygen vapor for, 471
 - electrocardiographic changes in, 622

- intravenous treatment of, 630
- neurohemodynamics of, 138-139
- octyl alcohol for, 629
- emphysema of, 306
- electrocardiography in, 136, 786
- function of
 - in anemia, 112-113, 115
 - in rheumatic heart disease, 178-186
- homologous, maintenance of life by, 312
- infarction of, mistaken for bronchogenic carcinoma, 954
- infection of, in chronic pulmonary disease, 954
- in platelet thrombosis syndrome, 670
- reflexes from, 795
- volume of, in hyperkinetic states, 789
- Lupus erythematosus**
 - disseminated, 798
 - visceral lesions in, 955
 - after hydrazinophthalazine, 832-833, 837
- Lutembacher syndrome, 939**
- ballistocardiogram in, 150
- Lymph, circulation of, 944**
- Magnesium**
 - metabolism of, 305
 - salts of, for ventricular tachycardia, 629, 763
 - in skeletal muscle, 474
- Magnetic tape, for recording electrocardiograph, 735-737**
- Male, ballistocardiography in, 738-742**
- Mammary artery, internal, in coarctation of aorta, 616**
- Marrow, in platelet thrombosis syndrome, 670**
- Marshall Islander, blood pressure in, 658**
- Massage, cardiac**
 - in resuscitation from ventricular fibrillation, 4-5, 8-13
 - rupture of heart during, 955
- Maximal cardiac force, calculation of, 276-277**
- Maximum breathing capacity, in rheumatic heart disease, 182**
- Medicine**
 - industrial, 314
 - preventive, 314
- Megakaryocyte, in platelet thrombosis syndrome, 670**
- Meperidine, and circulation, 305**
- Menstruation, and capillary fragility, 297**
- Mephentermine, 144**
- Meralluride, effect of route of administration on potency of, 308**
- Mercurial diuretic. See Diuretic**
- Mercuhydrin, effect of route of administration on potency of, 308**
- Mesentery, cecal, after applied epinephrine, 632**

Methonium. See Hexamethonium, Pentamethonium**Methyl testosterone, and plasma cholesterol, 652****Mexican, blood pressure in, 658****Microscope, in direct body ballistocardiography, 578-584****Microsphere, for coronary embolization, 304****Millikan oximeter, hypoxemia test with for coronary insufficiency, 135****Mirror galvanometer, 102****Mitral valve**

- anatomy of, 310
- commissurotomy
 - electrocardiogram after, 461, 464
 - indications for, 311
 - in older patient, 321-326
 - during pregnancy, 790
 - in rheumatic fever reactivation, 481-493
- disease of
 - diagnosis of, 623
 - pulmonary artery wedge pressures in, 625
 - pulmonary veins in, 789
- incompetence of, 940
- insufficiency of, left auricular movement in, 136
- lesion of, spatial vectorcardiography in, 619
- stenosis of
 - alveolar-arterial oxygen pressure gradient in, 466
 - and Aschoff body* in auricular appendage, 161-168, 337-343
 - auricular fibrillation in, 791
 - ballistocardiogram in, 150
 - biopsy of left auricle in, 950
 - bronchial veins in, 794
 - calculation of opening of, 623
 - cardiovascular dynamics in, 314
 - circulation after Valsalva maneuver in, 264-267
 - commissurotomy for, 311, 321-326, 461, 464, 481-493, 790
 - electrocardiogram after commissurotomy for, 461, 464
 - finger fracture valvuloplasty for, 311
 - left auricular movement in, 136
 - medial arch of cardiac silhouette, 622
 - without murmur, 475
 - pulmonary capillary pressure in, 625
 - respiration in, 893-903
 - and rheumatic carditis in left auricular appendage, 147
 - simulated by myxoma of left atrium, 307
 - in torsion ballistocardiography, 591, 594-595

Moment, dipole, 560-561**Mongoloid, blood pressure in, 657-658****Morbus coeruleus, Blalock-Tausig operation for, 950**

Morphine

antidiuresis due to, 948
in cor pulmonale, 628

Murmur

absence of, in bacterial endocarditis, 293
in angina, 114-115
mitral stenosis without, 475
in patent ductus arteriosus with pulmonary hypertension, 28
of peripheral arteriovenous fistula, 309
peripheral vascular, 145
presystolic, in obliterating pulmonary arteritis, 145
pulmonic diastolic, in geriatric mitral stenosis, 322
in rheumatic heart disease, 497
systolic, in Tetralogy of Fallot with pulmonary atresia, 334

Muscle

artery in, and aging changes, 38
auricular, 628
circulation in, 952
after hydrazinophthalazine for hypertension, 201-202
clearance of radio-sodium from, after Priscoline, 89-96
skeletal
creatine in, 474
magnesium in, 474
phosphorus in, 474
potassium in, 474
water distribution in, 631

Myocarditis, granulomatous interstitial, due to penicillin sensitivity, 306

Myocardium

in anemia, 112, 113
contractility of, 632
after calcium, 305
after potassium, 305
disturbance of, in electrocardiogram, 618
electric potentials of
after arterenol, 945
after epinephrine, 945
after Isuprel, 945
electron microscopy in study of, 469
infarction
acute, 460
anticoagulant for, 617
auriculoventricular block after, 767
cholesterol in, 647-649
effect of cortisone on size of, 544-548
dorsal thoracic lead in, 302
electrocardiography in, 460
emergency appendectomy during anticoagulant therapy for, 131
estrogen administration in, 651-652
hemopericardium as complication in, 460
hiccups in, 617
high fidelity electrocardiography in, 905-913
and hypertension, 170-175
hypotension after, 299
lipoprotein in, 648

magnesium salts for ventricular tachycardia of, 629

after major surgery, 618

mural thrombi as source of embolization in, 617

norepinephrine for shock accompanying, 142

papaverine for ectopic ventricular tachycardia due to, 874-877

phenylindanedione for, 297

phospholipid in, 647-649

plasma fibrinogen after, 617

plasma lipids in, 646-649

pressor amine for shock in, 134

prognosis, 460

Q-T interval in, 621

ruptured, 940

in spatial vectorecardiography, 611

sympathomimetic amines for shock in, 883-892

tachycardia in, 763

vasomotor response to, 783

with ventricular extrasystoles, 760-761

insufficiency of, in constrictive pericarditis, 695-707

Krebs cycle in, 467

oxygen consumption of, after incubation in Lanatoside C, 472

and platelet thrombosis syndrome, 667

potassium in, 759

in pulsus alternans, 872

revascularization of, by cardiopexy, 449

of right ventricle, absence of, 459

single fiber of
action potential of, 949

membrane potential of, 949

work done by, 539

Myxedema

cardiac output in, 299

renal circulation in, 299

Myxoma

of heart, 141

of left atrium, 307

Nausea, for ventricular tachycardia, 762**Necropsy**, simulating systole at, 44-61**Needle**, angled, for suturing auricular appendage in commissurotomy, 951**Negro**

aging changes in artery in, 41

blood pressure in, 658-659

hypertension in, 658-659

and Hyphex for hypertension, 676, 678

interstitial pneumonia in after Hyphex, 835-836

Neoplasm, cardiac involvement due to, 795**Neo-Synephrine**, for shock in myocardial infarction, 883-892**Nephritis**

salt-losing

potassium metabolism in, 797

sodium metabolism in, 797

subacute, edema due to, 955

Nephrosis

cholesterol in, 646, 649-650

effect of heparin on plasma lipids in, 444

phospholipid in, 646, 649-650

Nervous system

autonomic

blocking of, in hypertension, 205-222, 352-368

and circulation after Valsalva maneuver in mitral stenosis, 266-267

central

arrhythmia after stimulation of, 140

ischemia of, and oscillation of arterial pressure, 141

and pulmonary hypertension in heart failure, 782-783

Neurodermatitis, after hydrazinophthalazine, 831**Neuropathy**, in diabetes mellitus, 440**Neurosis**, and bacterial endocarditis, 293**Nevus**, spider, 117-125, 128-129**Newborn**

artery of, 37

plasma lipid in, 645

vectorecardiogram of, 300

See also Infant

Nicotine

effect of, on ballistocardiogram, 445

poisoning due to, paroxysmal auricular fibrillation in, 466

Nitrogen

breathing of, and pulmonary blood flow, 305

retention of, and hexamethonium for hypertension, 208, 210

Node, auriculoventricular, and parasystole, 243-250**Norepinephrine**

antidiuretic action of, 143

for hypotension, 948

kidney response to, 628

and pulsus alternans, 869

for shock accompanying myocardial infarction, 142, 883-892

Northern Rhodesia, hypertension in, 659**Novocaine**, for arrhythmia, 758**Nutrition**, and arterial spider, 119-120**Obesity**

basal cardiac function in, 796

and serum lipids, 439

Occlusion, coronary

and hypertension, 170-175

vasomotor responses to, 783

See also Infarction, myocardial

Occupational therapy, in heart disease, 423**Oleandrine**, 629

- Orthostatism**, hypotension due to, in diabetes mellitus, 150
See also Position; Posture
- Orient**, blood pressure in, 656
- Osler's disease**, 125-127
- Otitis media**, nonsuppurative, after hexamethonium, 830
- Ouabain**, for ventricular tachycardia with anginal pain, 762
- Ovarietomy**, and atherosclerosis, 452
- Oximeter**
 millikan, hypoxemia test with, for coronary insufficiency, 135
 whole blood, in cardiac catheterization, 313
- Oxygen**
 and alcohol vapor for pulmonary edema, 471
 alveolar-arterial in mitral stenosis, 467
 arterial saturation of, before and after pulmonary valvulotomy, 346
 in blood, in patent ductus arteriosus with pulmonary hypertension, 30, 32
 consumption of
 by heart muscle incubated with Lanatoside C, 472
 in rheumatic heart disease, 184
 diffusing capacity of, in mitral stenosis, 900
 dissociation curve of, in polycythemia vera, 626
 inspired
 in patent ductus arteriosus with pulmonary hypertension, 681-693
 and pulmonary artery pressure, 474
 tension, and resistance of pulmonary blood vessel, 632
- P wave**
 in dextrocardia, 301
 and heart rate, 785
 in isolated levocardia, 301
 normal, width of, 929
 in precordial leads, 302
- Pacemaker**, parasystolic, 249
- Pain**
 cardiac, electrocardiography in, 136
 ischemic, of arteriosclerosis, 709
 after mitral commissurotomy, 482-489, 491
 pulmonary hypertensive, 407
- Palm**, erythema of, 119-120
- Panamanian**
 blood pressure in, 658, 659
- Pancreas**
 arteriolar pulsations of, studied by photoplethysmography, 798
 fibrocystic disease of, 306
 in platelet thrombosis syndrome, 669
- Pancreatic extract**, and atherogenesis, 455
- Papaverine**
 blood pressure after, 876
 for ectopic ventricular tachycardia due to myocardial infarction, 874-877
 ventricular tachycardia due to, 875
- Paper money skin**, 124
- Parasytostole**, 243-251
- Parotitis**, after hexamethonium, 830
- Paveril**, for angina pectoris, 134
- Pectus excavatum**, repair of, 791
- Penicillin**
 and coagulation, 458
 and dihydrostreptomycin for subacute bacterial endocarditis, 494-508
 granulomatous interstitial myocarditis due to sensitivity to, 306
 for prevention of subacute bacterial endocarditis, 294
 for rheumatic fever, 950
- Pentaerythritol tetranitrate**, for angina pectoris, 472
- Pentamethonium**, for hypertension, 210, 218, 352-354, 359-364
- Pentapyrrolidinum**, for hypertension, 448
- Pentobarbital**, sodium, cardiac arrest due to, 948-949
- Perfusion**
 artificial, fibrillation during, 620
 pulsant, in evaluation of atherogenicity of blood, 438
- Periarthritis**, of shoulder, 955
- Pericarditis**
 acute, 627, 944
 constrictive, 695-707
 in torsion ballistocardiography, 592
 rheumatic, 950
- Pericardium**
 cyst of, 307
 intact, with traumatic rupture of heart, 945
 secondary tumor of, 944
- Peritrate**, for angina pectoris, 472
- Petechia**, in bacterial endocarditis, 290-291
- Phenylephrine**, for shock in myocardial infarction, 883-892
- Phenylindanedione**
 for acute myocardial infarction, 297
 hypoprothrombinemia due to, 938
 vitamin K₁ antagonism to, 458
- Pheochromocytoma**, with rupture of intracranial aneurysm, 303
- Philippine Islands**, blood pressure in, 656
- Phlebotomy**, and pulsus alternans, 868
- Phonoarteriogram**, of Korotkoff sounds, 601
- Phonocardiography**, 473
 in auricular fibrillation, 630
 in patent ductus arteriosus with pulmonary hypertension, 18
- Phosphatide**
 and esterification of serum cholesterol, 315
 and plasma lipid, 450
- Phospholipid**
 aortic, in atheromatosis, 433
 and cholesterol ratio, 642, 643, 644
 and age of patient, 645
 as index of atherosclerosis, 794
 and sex of patient, 645
 in diabetes, 646, 649-650
 in nephrosis, 646, 649-650
 in plasma, 642, 643
 in myocardial infarction, 647-649
 in newborn, 645
 in serum, 642
 daily variations in, 723-730
 in xanthomatosis, 646, 649-650
- Phosphorus**, in skeletal muscle, 474
- Photoplethysmography**, of arteriolar pulsations of splanchnic organs, 798
- Plaque**, intimal, in arterial aging processes in lower extremity, 36, 38, 41
- Plasma**
 cholesterol in, 642, 643
 after estrogen, 650-653
 after induced coarctation of aorta, 442
 in myocardial infarction, 647-649
 in newborn, 643, 649-650
 after testosterone, 652
 fibrinogen in
 after myocardial infarction, 617
 after tissue damage, 625
 hypertensinogen in, 947
 lipid in, 643
 and atherogenesis in old age, 453
 after corticotropin, 455
 after heparin, 444
 in myocardial infarction, 646-649
 and pancreatic extract, 455
 effect of phosphatide on, 450
 and sex of patient, 645, 649-650
 effect of steroid on, 450
 variations in, 644-649
 and vitamin B₁₂, 455
 and vitamin E, 455
 lipoprotein in, after estrogen, 651
 modified human globin as expander of, 623
 phospholipid in, 642, 643
 in myocardial infarction, 647-649
 in newborn, 645
 volume of
 in heart, 631
 measured by iodinated albumin method, 947
 measured by T-1824 dye method, 947, 954
 in thoracic viscera, 632
- Plastic boot**, for increased circulation in extremity, 305

- Platelet**, antifibrinolysin in, 780
Platelet thrombosis syndrome, 664-670
- Pneumonia**, interstitial, after hyphex, 835-836
- Poisoning**, due to nicotine, paroxysmal auricular fibrillation in, 466
- Polycythemia vera**, 626
- triethylene melamine for, 144
- Polyethylene tubing**, in perforation of major vein, 953
- Polysaccharide staining**, in demonstration of allylamine-induced arterial lesion, 437
- Polyvinyl-pyrrolidone**, 304
- Popliteal artery**, aging changes in, 37, 41
- Portal vein**, pressure of, in etiology of hemorrhagic shock, 624
- Position (of patient)**
 and hypotension, 148
 and methonium compound for hypertension, 354, 357-358
 orthostatic hypotension in diabetes mellitus, 150
 and pulsus alternans, 864-873
 in treatment of air embolism, 313
See also Posture
- Posture**
 in heart rate and blood pressure response to exercise, 521-526
 and hypotension, 148
 after Arfonad, 66
 after hexamethonium, 207, 209, 214, 842-844
 and venous velocity, 140
See also Position
- Potassium**
 for arrhythmia, 759
 deficiency of, 470
 electrocardiographic pattern of, 801-826
 in diabetic acidosis, 784
 for extrasystoles, 761
 and myocardium, 759
 contractility, 305
 renal clearance of, after hexamethonium for hypertension, 355-359, 365-366
 in salt-losing nephritis, 797
 in serum
 in adrenalectomized dogs on cortisone, 462
 in fatal hyperthermia, 461
 in skeletal muscle, 474
- Potassium chloride**, for ventricular fibrillation, 765
- Potassium thiocyanate**, for hypertension, 947
- Potential**, in electrocardiographic lead, 562-563
- P-Q interval**, in child, 461
- P-R interval**
 and Aschoff body in mitral stenosis, 341
 normal, 921-922
 prolongation of, 766
- Precordium**
 recording movements of, 269-275, 370-380, 569-576
 T wave after cooling of, 137
- Pre-eclampsia**, hexamethonium for, 787
- Pregnancy**
 arterial spider during, 118
 hemodynamic properties of Arfonad during, 62-68
 mitral commissurotomy during, 790
 and palmar erythema, 120
- Premarin**, and plasma cholesterol, 650-653
- Preponderance**, intermittent, 462
- Pressor amine**, mephentermine as, 144
- Pressure**
 of blood. *See* Blood pressure
 cerebrospinal fluid
 after aminophylline for hypertensive headache, 303
 after caffeine for hypertensive headache, 303
 hydrostatic
 and aging changes in blood vessels, 41-42
 and pulsus alternans, 867
 intrarenal, in renal hypertension, 314
 in left atrium, 463, 464
 in patent ductus arteriosus with pulmonary hypertension, 28
 pulmonary arterial, after oxygen breathing, 474
 pulmonary capillary, in mitral stenosis, 625
 venous
 and edema formation, 466
 in hot and humid environment, 468
- Pressure breathing**, electrocardiography in, 618
- Pressure pulse**
 in right side of heart
 in amyloidosis, 942
 in heart failure, 942
 and stroke volume, 532-533
- Preventive medicine**, 314
- Priscoline**
 and clearance of radiosodium from muscle and skin, 89-96
 vs. Regitine, 717
- Proacelerin**, 780
- Procaine**
 for anomalous conduction, 308
 for arrhythmia, 142, 758-759
 supraventricular, 141-142
 for auricular flutter, 764
 for extrasystole due to anesthesia, 761
 for tachycardia
 paroxysmal, 308
 supraventricular, 141-142
 vasodilating action of, in ischemic extremities, 143
 for ventricular fibrillation, 6-9, 11-13, 765
 ventricular acceleration after, 141
- Proconvertin**, 780
- Prostate gland**, obstruction by, after hexamethonium, 830
- Protein**
 and appetite, 786
- C-reactive, in rheumatic fever, 475
 lipid-bearing. *See* Lipoprotein
 relationship of, with lipid, 451
 in serum
 chromatographic partition of, 448
 after hexamethonium for hypertension, 217
 after hydrazinophthalazine for hypertension, 217
 and weight, 786
- Prothrombin**, and accessory factors, 780
- Prothrombin time**, one-stage determination of, 937
- Protodiastole**, in kinetocardiogram, 273
- Protoveratrine**
 oral, for hypertension, 138
 and renal function, 945
- Pseudoalternans**, 870
- Psychosis**, after mitral commissurotomy, 484
- Puerto Rican**, blood pressure in, 658
- Pulley therapy**, in hemiplegia, 420
- Pulmonary artery**
 atresia of, with tetralogy of Fallot, 328-335
 circulation in
 after hexamethonium for hypertension, 354, 364
 effect of hypoxia on, 146
 dilatation of, presystolic murmur in, 145
 embolism of, and embolic occlusion of patent foramen ovale, 394-401
 hypertension
 cor pulmonale due to, 150
 essential, 150
 in heart failure, 782-783
 in patent ductus arteriosus with pulmonary hypertension, 19, 20, 22, 29-32, 681-693
 pressure in
 after hydrazinophthalazine for hypertension, 200-201
 after oxygen breathing, 474
 before and after pulmonary valvulotomy, 347
 regulation of, 140
 radiologic pattern of, 789
 stenosis of
 with left to right intracardiac shunt, 780
 with open foramen ovale, 132
 surgical occlusion of, 311
 thrombosis of, chronic massive, 954
 wedge pressure of, in mitral valve disease, 625
- Pulmonary capillary pressure**, in heart disease, 941
- Pulmonary valve**, stenosis of, 615
 calculation of opening of, 623
 congenital, 781
 and cyanosis, 939
 hemodynamic effects of valvulotomy for, 345-351
 infundibular vs. valvular, 849-855, 858
 with intact ventricular septum, 849-862

- Pulmonary valve** (*Cont'd.*)
 valvular vs. infundibular, 849-855, 858
 valvulotomy for, 952
- Pulmonary vein**
 aberrant, in interauricular communication with pulmonary hypertension, 781
 drainage of, 626
 in mitral disease, 789
- Pulsation**, of arterial spider, 123
- Pulse**
 Corrigan, auscultation of, 630
 after Regitine, 718-719
 water-hammer, auscultation of, 630
- Pulse pressure**
 and cardiac output, 532-534
 in constrictive pericarditis, 697
- Pulse rate**, after Arfonad, 64
- Pulse wave**, 532
 in cranial artery, in vascular headache of migraine type, 468
 velocity of, and ballistic amplitude, 59-60
- Pulsus alternans**, orthostatic factors in, 864-873
- Purpura**, thrombocytopenic, due to quinidine, 945
- Pyridoxine**, for mercurial fastness in congestive heart failure, 616
- Pyrogen**, hemodynamic response to, 203
- Pyrrolidone**, polyvinyl, 304
- Q wave**, normal, width of, 929
- QRS complex**
 and frequency response of electrocardiograph, 103
 normal, 922
 after quinidine, 757
 time constant in, 106
- QRS interval**, normal, 922-924
- QRS vector**
 mean, and T vector, 261-263
 normal, 931-932
- QRS-T vector**, normal, 932-933
- Q-T interval**
 and Aschoff body in mitral stenosis, 341
 after exercise, 518, 519
 in hypocalcemia, 811
 in hypopotassemia, 805, 810-813, 817
 in left ventricular hypertrophy, 621
 in myocardial infarction, 621
 and negative T wave, 784
 normal, 922-923
 response to exercise, 516
- Q-U interval**
 in hypocalcemia, 813-814
 in hypopotassemia, 814-815
- Quantometer**, 286-288
- Quinidine**
 for arrhythmia, 757, 758-759
 ectopic, 757
 vs. procaine amide, 758-759
 for auricular fibrillation, 764-765
 chronic, in old age, 629
 for auricular flutter, 763-746
 for extrasystole, 760
 in serum, in congestive heart failure, 939
 sympatholytic effect of, 757
 thrombocytopenic purpura due to, 945
 vagolytic effect of, 757
 for ventricular tachycardia, 762, 763
 ventricular tachycardia after, 766
- R vector**, spatial position of, in mitral valvular lesions, 619
 and vena caval flow, 942
- R wave**, 924
- Rabbit**
 hypercholesterolemic esterification of serum cholesterol in, 315
 lipid values in, 643-644
- Race** (of patient)
 and blood pressure, 655-660
 and hypophex for hypertension, 676, 678
 and interstitial pneumonia after hypophex, 835-836
- Radioiodine**, for heart disease, 783
- Radiosodium**
 clearance of
 after Priscoline, 89-96
 effect of injection volume on rate of, 732-734
 volume of distribution of, vs. thiocyanate space, 473
- Rat**
 artery of, atheromatous response in, 794
 atherosclerosis in, 953
 hypertension in, 195
 lipid values in, 643-644
- Rawolfia**, 757
- Reciprocity theorem**, of Helmholtz, 558
- Recosen**, 946
- Recumbency**
 and hypotensive effect of hexamethonium, 842-844
 left lateral, and hypotension, 148
 and methonium compound for hypertension, 354, 357-358
 and pulsus alternans, 864
See also Position; Posture
- Reflex**
 from heart, 795
 from lung, 795
- Regitine**
 and arrhythmia during cyclopropane anesthesia, 145
 and digital blood flow, 715-722
- Regurgitation**, aortic, in anemia, 115
- Rehabilitation**, in cardiovascular disease, 417-425
- Renin**, 947
 diuretic effect of, 474
- Repolarization**, of left ventricle, by electrical stimulus, 253-256
- Resin**, ion exchange
 and corticotropin, 628
 and cortisone, 628
 for edema due to subacute, nephritis, 955
- Resistance**
 valvular, and valve area, 627
 vascular, 626
- Respiration**
 arrest of, due to barbiturates, 948-949
- Resuscitation**, cardiac, from ventricular fibrillation, 1-14
- Retinopathy**, after hexamethonium, 844
- Revascularization**, of heart, 790, 791
- Rheumatic fever**
 and Aschoff body in mitral stenosis, 337-343
 c-reactive protein in, 475
 corticotropin for, 475, 950
 cortisone for, 475, 950
 kidney involvement in, 632
 lesions due to, in auricular appendage, 474
 mitral commissurotomy in reactivation of, 481-493
 mitral stenosis due to
 and Aschoff bodies in auricular appendages, 161-168
 in old age, 322
 penicillin for, 950
 pulmonary function in, 178-186
 salicylate for, 475
- Rhythm**
 normal sinus, and Aschoff body in mitral stenosis, 339
 parasystolic, 243-251
See also Arrhythmia
- Rib**, substernal osteoperiosteal, as strut for repair of funnel chest, 791
- Ro 2-2222**, hemodynamic properties of, 62-68
- Roentgenography**
 of left midcardiac segment in thyrotoxicosis, 476
 in localization of descending aorta, 475
 in patent ductus arteriosus with pulmonary hypertension, 19
- RS deflection**, normal, 923-924
- RS-T segment**
 in hypopotassemia, 805
 time constant in depression of, 108
- R-T segment**, time constant in depression of, 108
- Rupture**
 of heart
 during cardiac massage, 955
 traumatic, with intact pericardium, 945
 spontaneous, of abdominal aorta, 944
- Swave**, on different types of electrocardiograph, 102
- Salicylate**, for rheumatic fever, 475
- San Blas Islanders**, blood pressure in, 658
- Sclero-empysema**, pulmonary, electrocardiography in, 786

- Sedimentation rate**
and Aschoff body in mitral stenosis, 341
in subacute bacterial endocarditis, 504
- Septum**
atrial defect of
with congenital pulmonary stenosis, 781
and dye dilution curve, 72
and Starling's law of the heart, 141
interatrial defect of
cardiac catheterization, 781
surgery for, 309, 791, 938
interventricular
infarction of, 940
parasytostole originating in, 245
ventricular
intact, with pulmonary stenosis, 849-862
isolated defect of, 132
- Serotonin**, 628
as cerebral vasopressor principle of Taylor, Page, and Coreoran, 142
- Serum**
antidiuretic activity of, 949
beta lipoproteins in, in aged patients, 441
cholesterol in, 642
and age of patient, 148
and coronary artery disease, 174
diagnostic value of, 446
diurnal variations in, 723-730
esterification of, 315
and hypocholesterolemia effect of brain fraction, 445
cold precipitable globulin in, in subacute bacterial endocarditis, 297
electrophoretic pattern of, after fasting, 462
lipid in
and circulating heparin in, 448
and obesity, 439
in old age, 441
stability of, 454
in vascular disease, 447
lipoprotein in
in atherosclerosis, 432, 434
and circulating heparin in, 448
after dihydrocholesterol diet, 443
diurnal variations in, 723-730
after fat diet, 443
after heparin, 726-730
after sitosterol diet, 443
after Treburon, 728-730
phospholipid in, 642
daily variations in, 723-730
potassium in
in adrenalectomized dogs on cortisone, 462
in fatal hyperthermia, 461
protein in
chromatographic partition of, 448
after hexamethonium for hypertension, 217
after hydrazinophthalazine for hypertension, 217
quinidine in, in congestive heart failure, 939
- sodium in, and hexamethonium for hypertension, 208, 210
uric acid in, in old age, 441
- Sex (of patient)**
and beta-lipoprotein, 174
and hypertension
limits, 171-172
prior to coronary occlusion, 170-175
and plasma lipid, 645, 649-650
and serum cholesterol, 174
- Sex hormone**
and plasma cholesterol, 650-653
See also Estrogen
- Shock**
after coronary embolization with microspheres, 304
electrical
in repolarization of left ventricle, 253-256
for ventricular fibrillation, 765
hemorrhagic
portal vein pressure in, 624
renal blood flow in after Dibenzamine, 630
in myocardial infarction
norepinephrine for, 142
sympathomimetic amines for, 883-892
- Shoulder**, painful, 955
- Shunt**
arteriovenous reversal of, in patent ductus arteriosus with pulmonary hypertension, 681-693
of blood from pulmonary artery to aorta, with pulmonary hypertension, 782
left-to-right, intracardiac, 780
right-to-left, in patent ductus arteriosus with pulmonary hypertension, 28-33
venoarterial
dye dilution curve in, 70-80
before and after pulmonary valvulotomy, 346
- Sickle cell anemia**, apical phenomena in, 114
- Silver nitrate**, and pulmonary circulation, 471
- Sino-auricular depression**, organic, 625
- Sinus**, carotid, pressure on, for ventricular tachycardia, 762
- Sinus arrhythmia**, 921
- Sinus bradycardia**, 921
- Sinus rhythm**
fibrillation converted to, 757, 763, 764-765
normal, 921
and Aschoff body in mitral stenosis, 339
- Sinus tachycardia**, 921
- Sinus of Valsalva**
congenital aneurysm of, diagnosed by aortography, 549-553
in valvular pulmonic stenosis, 854
- Sitosterol**, dietary
serum lipoprotein after, 443
and total cholesterol, 444
- 688-A**, for essential hypertension, 138
- Skeleton**, calcium exchange by, 631
- Skin**
arterial spider, 117-125, 128
cherry angioma, 127-128
clearance of radiosodium from, after Priscoline, 93-96
Osler's disease, 125-127
paper money, 124
temperature of
after Arfonad, 66, 68
after Dibenzylamine, 226-228, 229
venous star, 125
- Skin flap**, transplant of, for cardiac revascularization, 791
- Smoking**, effect of, on ballistocardiogram, 445
- Sodium**
in congestive heart failure, 282-288
radioactive
clearance of, after Priscoline, 89-96
effect of injection volume on clearance rate of, 732-734
renal clearance of, after hexamethonium for hypertension, 355-359, 365-366
in salt-losing nephritis, 797
in serum, and hexamethonium for hypertension, 208, 210
transcapillary movement of, 631
- Sodium chloride**
and adrenal gland in hypertension, 623
radioactive, in coronary circulation, 943
- Sodium citrate**, and heparin, 458
- Sodium nitroprusside**, for hypertension, 947
- Sodium pentobarbital**, cardiac arrest due to, 948-949
- Sound**
femoral vascular, 146
fetal, 949
Korotkoff, intermediate, 600-604
second, in hypocalcemia, 815-817
third, 309
and rate of filling of heart, 949
- Speech therapy**, in hemiplegia, 420
- Spinal cord**, anesthesia via, and Arfonad action, 67-68
- Spider**, arterial, 117-125, 128-129
- Spirogram**, in rheumatic heart disease, 182
- Spleen**
in bacterial endocarditis, 291
in platelet thrombosis syndrome, 669
- Spray**, topical, in endotracheal intubation, 784
- Squalene**, in experimental atherosclerosis, 432
- S-T interval**, and exercise, 513, 518-519
- S-T segment**
after hexamethonium, 216 844-845
in hypopotassemia, 818-826
- S-T vector**, 934
- Staining**, polysaccharide, in demonstration of allylamine-induced arterial lesion, 437

- Standing position**
and hypotensive effect of hexamethonium, 842-844
See also Position; Posture
methonium compound for hypertension, 354, 357-358
- Standstill**
cardiac, 766
due to barbiturates, 948-949
ventricular, electrical resuscitation of heart in, 625
- Star, venous**, 125
- Starling's law of the heart**, 538-540
in atrial septal defect, 141
- Stenosis**
aortic, surgery for, 951
atherosclerotic, of lower abdominal aorta, 456
congenital valvular pulmonic, with open foramen ovale, 132
infundibular pulmonic, 615
mitral
 alveolar-arterial oxygen pressure gradient in, 467
 Aschoff bodies in auricular appendages in, 161-168, 337-343
 auricular fibrillation in, 791
 ballistocardiogram in, 150
 biopsy of left auricle in, 950
 bronchial veins in, 794
 calculation of opening of, 623
 cardiovascular dynamics in, 314
 circulation after Valsalva maneuver in, 264-267
 commissurotomy for, 311, 321-326, 461, 464, 481-493, 790
 electrocardiogram after commissurotomy for, 461, 464
 finger fracture valvuloplasty for, 311
 left auricular movement in, 136
 medial arch of cardiac silhouette, 622
 without murmur, 475
 pulmonary capillary pressure in, 625
 respiration in, 893-903
 and rheumatic carditis in left auricular appendage, 147
 simulated by myxoma of left atrium, 307
 in torsion ballistocardiography, 591, 594-595
pulmonary, 311, 615, 623
congenital, 781
and cyanosis, 939
hemodynamic effects of valvulotomy for, 345-351
infundibular vs. valvular, 849-855, 858
with intact ventricular septum, 849-862
with left to right intracardiac shunt, 780
valvular vs. infundibular, 849-855, 858
valvulotomy for, 952
- Stereovectorcardiograph**, 462
- Steroid**, and plasma lipid, 450
- Stimulant**, of central nervous system, arrhythmia after, 140
- Stokes-Adams syndrome**, 766
due to paroxysmal ventricular fibrillation, 139
- Stomach**, ulcer of, and coronary thrombosis, 134
- Streptococcus**, penicillin and dihydrostreptomycin for endocarditis due to, 494-508
- Streptomycin**, for prevention of subacute bacterial endocarditis, 294
- Stress**
coronary laceration due to, 300
coronary thrombosis due to, 300
and hypertension, 146
- String galvanometer**, 102
- Stroke volume**
calculation of, 276
control of, 539
after methonium compound for hypertension, 353-354, 364-365
and pressure pulse, 522-533
- Strophanthin**, for ventricular tachycardia, with anginal pain, 762, 763
- Strophosid**, for ventricular tachycardia, with anginal pain, 762
- Strut**, substernal osteoperiosteal rib graft, for repair of funnel chest, 791
- Surgery**
of arteriosclerosis, 310, 708-713
for interauricular septal defect, 791
for neurotrophic plantar ulcer in arteriosclerosis, 454
for pulmonary stenosis, 854-862
for spontaneous cerebral hemorrhage, 790
- Sympathectomy**
for hypertension
 electrocardiogram in, 465
 essential, 787
lumbar
 for peripheral arteriosclerosis, 952
 for peripheral vascular disease, 952
response to hexamethonium after, 211
and subtotal adrenalectomy for hypertension, 951
- Sympathomimetic amine**, for shock in myocardial infarction, 883-892
- Systole**
auricular
 in kinetocardiogram, 273
 in torsion ballistocardiography, 591-592
ejection, in kinetocardiogram, 272
simulated, at necropsy, 44-61
ventricular, in torsion ballistocardiography, 592
- T-1824 dye**
in measurement of plasma volume, 947, 954
- simultaneous distribution of, with albumin, 950
See also Evans blue dye
- T vector**
and mean QRS vector, 261-263
normal, 933-934
spatial position of, in mitral valvular lesions, 619
- T wave**
after cooling of precordium, 137
differentiation of, from U wave, 922
and exercise, 513, 517-519
after hexamethonium, 216, 844-845
in hypopotassemia, 810-813, 818-826
negative, and Q-T interval, 784
of postextrasystolic beat, 253-256
and second heart sound in hypopotassemia, 816
time constant in, 106
- Tachycardia**
in anemia, 115
due to atropine, 472
auricular, due to digitalis, 758
double, 302
paroxysmal, 302, 761-763
 in infancy, and White-Parkinson-Wolff syndrome, 302
 procaine amide for, 308
 simultaneous independent, 302
and standstill, 766
supraventricular, oral procaine amide for, 141-142
ventricular
 acute infarct pattern after, 139
 Atabrine for, 257-260
 carotid pressure for, 762
 circulatory standstill due to, 766
 due to cyclopropane, 761
 due to digitalis, 758, 761
 due to emotion, 302
 magnesium salts for, 629
 papaverine for, 874-877
 due to papaverine, 875
 procaine for, 759
 after procaine amide, 141
 quinidine for, 759, 762
 treatment for, 762
- Taussig-Bing syndrome**, 781
- Telangiectasia**
hereditary hemorrhagic, 125-127
of Osler's disease, 125-127
- Temperature**
low, in constriction of isolated artery, 631
of skin, after Dibenzylamine, 226-228, 229
- Tension**, hydrostatic, and aging changes in blood vessels, 41-42
- Test**
anoxic, for conary insufficiency, 135
hypoxemia, for coronary insufficiency, 135
- Testosterone**, and plasma cholesterol, 652
- Tetraethylammonium**
vs. Arfonad, 68

- circulation after
cerebral, 470
Valsalva maneuver in mitral stenosis, 266-267
for hypertension, 193-197
and vasoconstrictor tone in extremities in hypertension, 82-87
- Tetralogy of Fallot**
electrocardiography, 615
with unilateral pulmonary atresia, 328-335
- Theophylline**, new preparations of, 473
- Thiamine**, deficiency of, in organic heart disease, 744-749
- Thiocyanate**
for hypertension, 947
volume of distribution of, vs. radiosodium space, 473
- Thiophanum**, hemodynamic, properties of derivative of, 62-68
- Thorax**, plasma volume of viscera of, 632
- Thrill**
in patent ductus arteriosus with pulmonary hypertension, 28
in pulmonary stenosis, 854
- Thromboangiitis obliterans**, clearance of radiosodium in, after Priscoline, 93
- Thromboembolism**
management of, 792
postoperative, 792
- Thromboendarterectomy**, 708, 711
- Thrombosis**
auricular
in mitral valve surgery, 791
and rheumatic disease, 165-166
and blood vessel caliber, 42
coronary
and chronic peptic ulcer, 134
due to stress, 300
platelet, 664-670
of pulmonary artery, 954
venous, secondary to gangrene of extremity, 312
- Thrombus**
auricular
in mitral stenosis, 322, 324
in mitral stenosis with Aschoff body, 342
hyaline, in platelet thrombosis syndrome, 667-670
mural, as source of embolization in myocardial infarction, 617
pulmonary, in patent ductus arteriosus with pulmonary hypertension, 30-31
- Thyroid hormone**, and respiration of cardiac tissue, 631
- Thyrotoxicosis**, roentgenography of left midcardiac segment in, 476
- Tibial artery**, aging changes in, 38, 41
- Tilting**
circulatory response to, after Meperidine, 305
- heart rate and blood pressure response to exercise, 521-526
- Tissue**
arterial, diffusion coefficients of some materials in, 451
cardiac, respiration of, after thyroid hormone, 631
plasma fibrinogen after damage to, 625
- Tobacco**, effect of, on ballistocardiogram, 445
- Tomography**
in arteriovenous aneurysm in lung, 793
of pulmonary veins in mitral disease, 783
- Tone**, vasomotor, in hypertension, 82-87
- Tooth**, extraction of, and prevention of subacute bacterial endocarditis, 294-295
- Torsion ballistocardiography**, 585-598
- Tourniquet**, Korotkoff sounds after, 601, 603
- Toxicity**
of Dibenzylamine, 228
of Khellin, 144
- Trachea**, intubation of, electrocardiography during, 784
- Transfusion**, positive pressure, 471
- Transplantation**
of canine heart, 750
skin flap, for cardiac revascularization, 791
- Trauma**, craniocerebral, 149
- Treburon**
and serum lipoprotein, 728-730
- Tricuspid valve**
disease of, hemodynamic pattern in, 467
Ebstein's malformation of, 616, 782
- Triethylene melamine**, for polycythemia vera, 144
- Trilogy of Fallot**, electrocardiography, 615
- Tromexan**, vitamin K₁ antagonism to, 458
- Trypsin**, intravenous, 614
- Tubing**, polyethylene, in perforation of major vein, 953
- Tubocurarine**, blood coagulation after, 457
- Tumor**
cherry angioma, 127-128
granuloma, due to penicillin sensitivity, 306
myxoma, of heart, 141, 307
neoplasm and cardiac involvement, 795
polypoid, of left atrium, 141
secondary, of heart, 944
See also Carcinoma
- Turtle**, specialized conducting tissue in, 631
- U wave**
differentiation of, from T wave, 922
in hypocalcemia, 813-814
in hypopotassemia, 814-815, 819-826
and second heart sound, 816
- Ugandi**, hypertension in, 659
- Ulcer**
neurotrophic plantar, in arteriosclerosis, 454
peptic, and coronary thrombosis, 134
- United States**, blood pressure in, 656
- Uric acid**, in serum, in old age, 441
- Urine**
in bacterial endocarditis, 292
flow of, after hexamethonium for hypertension, 355-359, 365-366
- Vagotomy**, and cardiovascular action of digitalis, 144
- Valsalva maneuver**, circulation after, in mitral stenosis, 264-267
- Valve**
aortic. See Aortic valve
area of opening of, 627
ballistocardiogram in disease of, 149, 784, 785
in endocarditis, 130, 290
lesion of
ballistocardiogram in, 149
and congenital heart disease, 621
location of, in main veins of lower extremity, 470
mitral. See Mitral valve
pulmonary. See Pulmonary valve
- Valvuloplasty**, mitral, finger fracture, 311
- Valvulotomy**, pulmonary, 952
- hemodynamic effects of, 345-351
- Varicose vein**, and distribution of valves in main veins of lower extremity, 470
- Vasa vasorum**, isolated, low temperature constriction of, 631
- Vascular bed**
peripheral, 794
after vasoconstriction, 138-139
after vasodilation, 138-139
- Vascular disease**
peripheral, 313, 792
lumbar sympathectomy for, 952
medical treatment of, 793
serum lipid in, 447
vitamin C in, 937
vitamin P in, 937
- Vascular system**
resistance of, 626
See also Artery; Blood vessel; Vein
- Vasoconstriction**
in extremity, in hypertension, 82-87
effect of, on vascular bed, 138-139
- Vasodilation**, effect of, on vascular bed, 138-139
- Vasodilator**
in arteriosclerosis obliterans, 307
potentiation of, by hexamethonium, 211
- Vasopressor**
Arfonad as, 62-69

Vasopressor (*Cont'd.*)

cerebral, of Taylor, Page, and Corcoran, 142

Vasoxyl, for shock after myocardial infarction, 888, 891

Vector

electromotive, definition of, 537

heart, 561-562

Vector G, normal, 933

Vectorcardiogram

and frequency response of electrocardiograph, 104

of newborn, 300

from ordinary electrocardiogram, 619

spatial, orientation of plane in, 261-263

in ventricular strain, 626

zero point in, 137

Vectorcardiography, 605-612, 914-919

direction of rotation of loops in, 137

and normal electrocardiogram, 929-934

spatial, 608-611

in mitral valvular lesions, 619

during positive acceleration, 618

and precordial leads, 609-610

Vein

blood velocity in, 304

coagulation in, 457, 614

collapse of, in superior vena cava system, 306

distribution of valves in, as related to varicose veins, 470

excised, filtration properties of, 473

femoral, sound from, 146

grafting of, for arteriosclerotic obstruction, 708-713

of lower extremity, aging changes in, 38

perforation of, by polyethylene tubing, 953

portal, in etiology of hemorrhagic shock, 624

pressure in

and edema formation, 466

in hot and humid environment, 468

pulmonary. *See* Pulmonary vein

thrombosis of, secondary to gangrene of extremity, 312

varicose, 470

velocity in, in bed rest, 632

and venous star, 125

Velocity of body displacement, 276-281, 381-386

Vena cava

inferior, absence of, 458

effect of respiration on circulation in, 942

superior

prolonged obstruction of, 794

venous collapse in, 306

Venous star, 125

Ventilation, pulmonary, in rheumatic heart disease, 182-183

Ventricle

acute distention of, 463

arrhythmia of

digitalis for, 760-761

due to digitalis, 758

procaine for, 759

quinidine for, 759-761

in constrictive pericarditis, 697

contraction of

premature, 140

in torsion ballistocardiography, 592

defect of, electrocardiography in, 620

digital exploration of, through rubber diverticulum, 951

enlarged, in mitral stenosis, 323, 326

fibrillation of

paroxysmal, 139

treatment for, 1-14, 765, 940

hypertrophy of, 28, 301

deceptive electrocardiogram in, 403-416

electrocardiographic diagnosis of, 135, 619

Q-T interval in, 621

in spatial vectorcardiography, 611

left

angle of clearance of, 880-881

electrical stimulus in repolarization of, 253-256

hypertrophy of, 301

vectorcardiogram in strain of, 626

parasytostole, 243

paroxysmal fibrillation of, Adams-Stokes syndrome due to, 139

premature contraction of, and exercise, 140

right

absence of myocardium of, 459

focal block of intraventricular conduction, 139

hypertrophy of, in patent ductus arteriosus, 28

pressure in, before and after pulmonary valvulotomy, 347

saccular outpouching of, 789

septum of

infarction of, 940

intact, with pulmonary stenosis, 849-862

isolated defect of, 132

standstill, electrical resuscitation of heart in, 625

tachycardia of

acute infarct pattern after, 139

Atabrine for, 257-260

papaverine for, 874-877

due to papaverine, 875

after procaine amide, 141

treatment for, 761-763

Ventricular gradient, 463

normal, 932-933

Ventriculography, air embolism after, 792

Veratrum alkaloid, 945

Veratrum viride, for hypertension, 465

Veriloid

for hypertension with encephalopathy, 786

renal function after, in hypertension, 787

Virgin Islands, blood pressure in, 656

Viscera

lesion of, in disseminated lupus erythematosus, 955

thoracic, plasma volume of, 632

Vision, after hexamethonium, 830, 842

Vitamin B₁₂, and atherogenesis, 455

Vitamin C, in vascular disease, 937

Vitamin E, and atherogenesis, 455

Vitamin K

in control of hypoprothrombinemic effect of dicumarol

in congestive heart failure, 299

and phenylindanedione-induced hypoprothrombinemia, 938

Vitamin K₁

antagonism of, to various anticoagulants, 458

intravenous emulsified, for coumarin-induced hypoprothrombinemia, 131

Vitamin P, in vascular disease, 937

Vomiting

central mechanism for, 470

for ventricular tachycardia, 762

Wall of body, innervation of blood vessel in, 632

Water

body, measurement of, 149

distribution of, in isolated perfused muscle, 631

exchange of

in congestive heart failure, 285

after corticotropin, 946

after cortisone, 946

after desoxycorticosterone, 946

excretion of, in essential hypertension, 788

Water-hammer pulse auscultation of, 630

Wave, vasomotor, 141

Wave form, electrocardiographic, 106

Wedensky facilitation, 766

Weight, and protein, 786

Well, atrial, in surgical closure of interauricular septal defects, 309

Wenckebach phenomenon, 766

West Indian, hypertension in, 659

Whale, Beluga, electrocardiogram of, 387-392

Wolff-Parkinson-White syndrome, and paroxysmal tachycardia in infancy, 302

Work classification unit, for cardiac patients, 147

Wyamine, for shock after myocardial infarction, 888, 891

Xanthomatosis

cholesterol in, 646, 649-650

phospholipid in, 646, 649-650

Yawning, after Arfonad, 67

Youth, atherosclerosis in, 442

Yucatecan, blood pressure in, 658

Zero point, of vectorcardiogram, 137

Zuñi Indian, blood pressure in, 658

